

FANTASIA
LIGHT DESIGNERS

2026
2027


PRODUCT COORDINATION


FANTASIA VERLICHTING NV

DESIGN

TIM VANHOUCKE

DECO CATALOG EDITION 2026 - 2027





Our philosophy is simple: **LIGHT FOR EVERYONE**

At Fantasia, we live and breathe light. Since 1952, we have been designing lighting that does more than illuminate, it gives spaces character. We believe design and beauty should not be reserved for the happy few, but accessible to everyone wishing to enrich their living environment. Light is never a detail: it defines the mood, the architecture and the soul of a space.

As a Belgian family business now led by the fourth generation, we create lighting that blends timeless design, refined quality and lasting value. Every Fantasia piece is the result of a creative process: unique in design, part of a coherent aesthetic across different collections and built with reliability at its core.

This **DECO catalogue** embodies that vision. A curated selection of stylish, ready-to-install lighting that brings atmosphere, warmth, and elegance to any setting. Designed to inspire and made to endure, DECO makes beautiful lighting design truly within everyone's reach.

INDEX

PENDANTS



ALYN
p. 011



ANNU
p. 014



BOA
p. 020



GURI
p. 026



ISE
p. 042



KOTO
p. 052



LINO
p. 054



OKIRU
p. 057



ONDA
p. 062



OONAH
p. 066



ORYX
p. 072



OSIRA
p. 083



OSIRA CUSTOM
p. 095



OSIRA+REMY
p. 098



RAGA
p. 100



ROGODO
p. 107



RONIN
p. 108



SHURU
p. 112



TABOO
p. 117



TRITON
p. 130

SPOTS



OYO
p. 137



PULSE
p. 141



RAGA
p. 105



ROBUS
p. 142



RUNE
p. 146



TABOO
p. 124



TRITON
p. 130



XZIBIT
p. 149

CEILING SURFACE



BABAR
p. 154



BABU
p. 164



OLALA
p. 170



NORI
p. 172



ORSO
p. 176



OXUS
p. 178



RAKU
p. 180

WALL LIGHTS



BIJOU
p. 184



DUSK
p. 185



DUSK
p. 186



GURI
p. 031



HELIX
p. 188



KUMIS
p. 189



NIDUM
p. 190



NORI
p. 172



ORSO
p. 176



ORYX
p. 082



OSIRA
p. 088



RADU
p. 192



RAGA
p. 105



RUNE FLEX
p. 148



SHIWA
p. 198



SKEELER
p. 194



TABOO
p. 123



TABOO
p. 127



TOKO
p. 196

CEILING RECESSED



ARTA
p. 255



DEEP DECO
p. 201



IMBER
p. 256

INDEX



SATURN
p. 206



SATURN MINI
p. 208



TETIZ
p. 210



ZOOM
p. 211



PULSE
p. 214



ORYX
p. 215



OYO
p. 216



TABOO
p. 217

FLOOR AND TABLE LIGHTS



ANNU
p. 219



ANNU
p. 219



BABU
p. 222



BOA
p. 221



CALES
p. 224



DARLING
p. 225



GURI
p. 226




GURI
p. 227



GURI
p. 228



GURI
p. 229



INDEX
p. 230



MISO
p. 231



MONIX
p. 232



NONI
p. 233



OKIRU
p. 236



OKIRU
p. 236



OONAH
p. 237



ORYX
p. 238



ORYX
p. 239



OSIRA
p. 240



OSIRA
p. 241



QUONOS
p. 242



RAGA
p. 243



RAGA
p. 243



SAFRANE
p. 244



SHURU
p. 245



SHURU
p. 245



SIRANNA
p. 246



TABOO
p. 248



TABOO
p. 249



TOSH
p. 247



XIMON
p. 250



ZONIC
p. 251



BATHROOM



AMUR
p. 257



ARTA
p. 255



BALNEO
p. 260



BANY
p. 260



BATU
p. 261



EVIA
p. 258



IMBER
p. 256



INAKI
p. 259



OMY
p. 260



OUTDOOR



GOA
p. 263



QIJO
p. 264



XEON
p. 265



ZAZOU
p. 266



WAYRA
p. 296



ASLAN
p. 267



BAKU
p. 268



DAMIR
p. 269



ECLIPSE
p. 297



FLUX
p. 270



IPSO
p. 271

INDEX



ISIK
p. 272



KELSO
p. 273



KITO
p. 274



LIBRA
p. 275



MILO
p. 276



MILOS
p. 277



NEVE
p. 278



NOKI
p. 279



NUALA
p. 280



ORION
p. 281



SIBO
p. 283



SPECTRA
p. 285



TENGU
p. 287



CONTOUR
p. 288



MILOU
p. 289



TARA
p. 290



TATTI
p. 291



TOWER
p. 292



TULGA
p. 293



TUVA
p. 294



WAYRA
p. 295



ECLIPSE
p. 297



ECLIPSE SOLAR
p. 325



KOBI
p. 298



PIKI
p. 299



SPIKA
p. 300



TORUN
p. 301



URI
p. 302



YAKU
p. 303



WAYRA
p. 296



SUMMIT
p. 304



ATLANTIS II
p. 305



BEACON
p. 306



FURI
p. 307



NELIO
p. 308



ARGIA
p. 311



BARBARA
p. 313



BOLETO
p. 314



CYRUS
p. 315



FAR
p. 316



INA
p. 317



POPPY
p. 319



QUTE
p. 320



TULGA
p. 309



NORD
p. 322



CASAR
p. 322



RAGNAR
p. 323



JARDIN
p. 323

TRACK



1F TRACK
p. 327



OYO
p. 329



BABAR
p. 330



BABU
p. 334



LITHIUM
p. 337



ORYX
p. 338



PULSE
p. 340



TABOO
p. 341



TRITON
p. 342



XZIBIT
p. 343

LED STRIPS



HIGH EFFICIENCY
p. 345



DOTLESS
p. 347



SKYLINE
p. 348




CCT
p. 349

INDEX



WATERPROOF
p. 350



PROFILES
p. 351




DRIVERS
p. 352



CONTROLLER
p. 353



REMOTE
p. 353



CONNECTORS
p. 354



SKYLINE
p. 356

ACCESSORIES



CANOPIES
p. 359



EMPTY BASE
p. 361



PENDANTS
p. 362



DIMMERS
p. 364



CONNECTORS
p. 365

LIGHT SOURCES



DEEP DECO
p. 367



AR111
p. 369



GU10
p. 369



MR11
p. 369



E14
p. 370




E27
p. 371



G9
p. 372

INFO & INDEX



INFO
p. 374

3350028	203
3350070	207
3350071	207
3350072	207
3350075	208
3350076	208
3350082	210
3350083	290
3350084	290



INDEX
p. 377

CEILING, WALL & COMBINATIONS

3435130



3435131



Up and down





LED CHIP:
20,5 Watt
2695 Lumen

LED CHIP:
36 Watt
4518 Lumen

-  Matt gold
-  Matt black

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included
3419067 for 3435130
3419066 for 3435131



ALYN





Boistique - Houthandel Leirman (Gistel)


3435132



3435133





Up and down



LED CHIP:
20,5 Watt
2695 Lumen

LED CHIP:
36 Watt
4518 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included
3419067 for 3435132
3419066 for 3435133




ANNU

pendants

3435013

3435003



LED CHIP:

53 Watt

6888 Lumen

Material: aluminium / acrylic

Light Source: included, 3000K warm white



Driver: included, 2x 3419062



Matt white



Matt black




DALI
on request

3435004



3435014





LED CHIP:
33 Watt
4500 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 2x 3419064

 Matt white

 Matt black




ANNU

pendants

3435015



3435005



LED CHIP:

45 Watt

6202 Lumen

Material: aluminium / acrylic

Light Source: included, 3000K warm white


Driver: included, 3419064



Matt white



Matt black




on request

3435006



3435016



LED CHIP:



84 Watt

11641 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 2x 3419065

 Matt white


 Matt black



ANNU

table and floor light


3435001



LIGHT FIXTURE:

21 Watt
730 Lumen

3435002



LIGHT FIXTURE:



37 Watt
1295 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white

Power cord and dimmer included

 Matt white

 Matt black





ANNU

table and floor light

3435011



3435012



LIGHT FIXTURE:

21 Watt
1360 Lumen



LIGHT FIXTURE:

37 Watt
2405 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white

Power cord and dimmer included

-  Matt white
-  Matt black



BOA




P+ Plafonds & Prints
(Hever - Boortmeerbeek)

3435032



3435022




LED CHIP:
43 Watt
4730 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 3419065

 Matt white

 Matt black



DALI
on request


BOA

pendants

3435023



3435033



LED CHIP:

75 Watt

8825 Lumen

Material: aluminium / acrylic

Light Source: included, 3000K warm white



Driver: included, 2x 3419066



Matt white




Matt black




XL3435033



XL3435023



XL items have extra long cables (3m)





LED CHIP:
75 Watt
8825 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 2x 3419066

 Matt white

 Matt black




BOA

pendants


XL3435024



XL3435034



XL items have extra long cables (3m)



LED CHIP:

94 Watt

9980 Lumen

Material: aluminium / acrylic

Light Source: included, 3000K warm white



Driver: included, 2x 3419064



Matt white




Matt black



3435021

3435031



LIGHT FIXTURE:

25 Watt
875 Lumen

LIGHT FIXTURE:



25 Watt
1625 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Powercord with dimmer/adapter included

 Matt white

 Matt black







GURI

pendants

3435070

3435071



LED CHIP:

32 Watt
4869 Lumen


LED CHIP:

35 Watt
5662 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included
3419063 for 3435070
3419066 for 3435071

 Matt white

 Matt black





on request

3435072



Up and down



LED CHIP:

43 Watt

7228 Lumen



Material: aluminium / acrylic

Light Source: included, 3000K warm white

Driver: included, 3419064

 Matt white

 Matt black



GURI



pendants



Gepae (Nieuwkerke)

3435080



3435081



LED CHIP:
32 Watt
4869 Lumen

LED CHIP:
35 Watt
5662 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included
3419063 for 3435080
3419066 for 3435081




GURI

pendants

3435082



Up and down



LED CHIP:



43 Watt

7228 Lumen


Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 3419064

 Matt white

 Matt black




DALI
on request




LED CHIP:
40 Watt
6320 Lumen

* Extension piece for wall mounting
(2 pieces) to make cross shapes:
3435049EP (black) **3435059EP** (white)





Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Power cord and dimmer included



GURI

floor light





LED CHIP:
43 Watt
7228 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Power cord and dimmer included

 Matt white


 Matt black



3435050



3435040



LIGHT FIXTURE:



5 Watt
275 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Power cord and dimmer included



 Matt white

 Matt black



GURI

floor light



LIGHT FIXTURE:

44 Watt



2115 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Power cord and dimmer included

 Matt white


 Matt black



3435052





3435042



LED CHIP:
47 Watt
5571 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 3419064



GURI

pendants


3435043



3435053



Lights up on both sides!



LED CHIP:

67 Watt

8902 Lumen

Material: aluminium / acrylic

Light Source: included, 3000K warm white



Driver: included, 2x 3419063



Matt white



Matt black




DALI
on request

3435054





3435044



LED CHIP:
 80 Watt
 9800 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 2x 3419066

-  Matt white
-  Matt black




GURI

pendants

3435045



3435055





LED CHIP:
52 Watt
5860 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 2x 3419062

 Matt white

 Matt black




DALI
on request

3435056



3435046



LED CHIP:
78 Watt
8548 Lumen



Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 2x 3419066



Matt white



Matt black




GURI

pendants

3435047



3435057



LED CHIP:

48 Watt

5595 Lumen

Material: aluminium / acrylic

Light Source: included, 3000K warm white



Driver: included, 3419064



Matt white





Matt black



GURI



floor light



LED CHIP:
30 Watt
4500 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Power cord and dimmer included



ISE



4016151

Huis van de lingerie (leper)
project by Majestik, Dymaline_bv, Woondesign; photography by Joachimderous


4016161



4016141



4016171



-  Matt black
-  Brushed gold
-  Brushed bronze
-  Brushed steel


Material: aluminium
Light Source: 15x GU10 not included
 recommended bulbs:
 Deep Deco GU10 bulbs, more info page 367
 8202652, more info page 369



4016140



4016170



Matt black



Brushed gold



Brushed bronze



Brushed steel


Material: aluminium
Light Source: 10x GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



4016160



4016150



Matt black



Brushed gold



Brushed bronze



Brushed steel


Material: aluminium
Light Source: 10x GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



4016142



4016172



Matt black



Brushed gold



Brushed bronze



Brushed steel


Material: aluminium
Light Source: 5x GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



4016162



4016152



-  Matt black
-  Brushed gold
-  Brushed bronze
-  Brushed steel


Material: aluminium
Light Source: 5x GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



4016143



4016173



Matt black



Brushed gold



Brushed bronze




Brushed steel


Material: aluminium
Light Source: 7x GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



4016163



4016153



Matt black



Brushed gold



Brushed bronze



Brushed steel


Material: aluminium
Light Source: 7x GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



4016144



4016174



Matt black



Brushed gold



Brushed bronze



Brushed steel


Material: aluminium
Light Source: 10x GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



4016164



4016154



-  Matt black
-  Brushed gold
-  Brushed bronze
-  Brushed steel

Material: aluminium
Light Source: 10x GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



KOTO

pendants


3432102



3432103



3432104



Silver and matt black



Matt black



Matt bronze and gold

Material: aluminium

Light Source: E27, not included
recommended bulbs see page 338 - 340




3432105



3432106



3432107



Silver and matt black



Matt black



Matt bronze and gold

Material: aluminium
Light Source: E27, not included
recommended bulbs see page 338 - 340




LINO

pendants

3418120



3418125





LED CHIP:

22,5 Watt
2550 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 3419067

 Matt white

 Matt black




DALI
on request

3418121



3418126





LED CHIP:
32 Watt
3700 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 3419054

 Matt white

 Matt black




LINO

pendants

3418122



3418127



LED CHIP:

45 Watt
5100 Lumen


Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 2x 3419067



Matt white




Matt black




DALI
on request


3403660



3403661



3403662



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370- 372



Matt black and gold




E 2 7


OKIRU

pendants

3403663



3403664



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370- 372



Matt black and gold





E 2 7

3403666



3403668



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370- 372




Matt black and gold



OKIRU

pendant and ceiling light

3403659



3403667



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370- 372




Matt black and gold




OKIRU

table and floor light

3403658



3403665



Power cord and on/off switch included with floor and table light.

Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370- 372



Matt black and gold



ONDA

pendants



3403177



3403178



3403179



Material: steel

Light Source: E27, not included
recommended bulbs see page 370- 372



Matt black and gold



Matt white and gold




3403187



3403188



3403189



Material: steel
Light Source: E27, not included
recommended bulbs see page 370- 372



Matt black and gold



Matt white and gold




ONDA

pendants

3403180



3403181



Material: steel
Light Source: E27, not included
recommended bulbs see page 370- 372



Matt black and gold



Matt white and gold



E 27


ONDA

pendants

3403190



3403191



Material: steel
Light Source: E27, not included
recommended bulbs see page 370- 372



Matt black and gold



Matt white and gold



E 2 7



Maison Elza (Wenduine)
project by Licht aan Zee



OONAH

pendants




3432130



3432132



3432134



Material: steel / aluminium
Light Source: E27, not included
recommended bulbs see page 370- 372



Matt white and gold



Matt black and gold



OONAH

pendants

3432136





3432137



3432138



3432139



Material: steel / aluminium
Light Source: E27, not included
recommended bulbs see page 370- 372



Matt white and gold



Matt black and gold



OONAH

pendants




3432131



3432133



3432135



Material: steel / aluminium
Light Source: E27, not included
recommended bulbs see page 370- 372



Matt white and gold



Matt black and gold





OONAH

table light

3432141



3432142



Power cord and on/off switch included with floor and table light.



Matt white and gold



Matt black and gold

Material: steel / aluminium
Light Source: E27, not included
recommended bulbs see page 370- 372



OONAH

replacement rings



MATT BLACK

3432143 size: ø: 55mm

3432148 size: ø: 65mm

3432153 size: ø: 80mm



MATT WHITE

3432144 size: ø: 55mm

3432149 size: ø: 65mm

3432154 size: ø: 80mm



COPPER

3432145 size: ø: 55mm

3432150 size: ø: 65mm

3432155 size: ø: 80mm



ALUMINIUM

3432146 size: ø: 55mm

3432151 size: ø: 65mm

3432156 size: ø: 80mm



ANTIQUÉ COPPER

3432147 size: ø: 55mm

3432152 size: ø: 65mm

3432157 size: ø: 80mm



Customize your pendant!

Replace the standard gold ring and add an extra touch of colour to your OONAH pendants.


Material: aluminium

ORYX

pendants



4014716C



4014716B



4014716V



Brushed Gold



Matt white



Matt black

Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369





Tip! Install these pendants on a 1F track!
Remove the ceiling mount and replace it with a track adapter (**TR0123B/W**).

-  Brushed Gold
-  Matt white
-  Matt black

Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369



ORYX

spots

4014710B



4014711B



4014712B



4014713B



4014710W



4014711W



4014712W



4014713W



4014710G



4014711G



4014712G




4014713G




rotate head




30mm 90mm




30mm 154mm



30mm 242mm



150mm 150mm



Brushed Gold



Matt white



Matt black

Material: aluminium

Light Source: MR11 not included

recommended bulbs:

Deep Deco MR11 bulbs, more info page 368

8202653, more info page 369



4014715B



4014715W




4014715G



Input spot:

Mount this spotlight flush in your ceiling, no need for a visible ceiling mounted box. Leaf springs included.



-  Brushed Gold
-  Matt white
-  Matt black


Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369



ORYX

spots


4014719G



4014719B



4014719W



Brushed Gold



Matt white



Matt black

Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369




4014718B



4014718G



4014718W



-  Brushed Gold
-  Matt white
-  Matt black

Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369




ORYX

1F track spot

TR01360B

TR01360W

TR01360G



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).



Brushed Gold



Matt white



Matt black

Material: aluminium

Light Source: MR11 not included

recommended bulbs:
Deep Deco MR11 bulbs, more info page 368


8202653, more info page 369



TR01362B

TR01362W

TR01362G



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).



Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369



ORYX

table light



Brushed Gold



Matt white



Matt black

Material: aluminium


Light Source: MR11 not included

recommended bulbs:

Deep Deco MR11 bulbs, more info page 368

8202653, more info page 369





-  Brushed Gold
-  Matt white
-  Matt black

Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369



ORYX

wall light

4014714W




4014714G




flexible goose neck

4014714B



wall light with on-off switch



Brushed Gold


Matt white

Matt black

Material: aluminium, rubber
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369






3403610



3403611



3403612



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black




Matt black and gold




OSIRA

pendants

3403613



3403614



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black





Matt black and gold



3403615

3403616



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black



Matt black and gold



E 2 7



OSIRA

wall and ceiling light


3403641



3403642



Material: aluminium / glass
Light Source: E14, not included
recommended bulbs see page 370 - 371





OSIRA

ceiling light

3403643




3403644



Material: aluminium / glass
Light Source: E14, not included
recommended bulbs see page 370 - 371



Matt black



Matt black and gold



OSIRA

wall light, table light and floor light





3403617



3403618



3403619



Power cord and on/off switch included with floor and table light.

Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372




Matt black




Matt black and gold




3403620



3403621



3403622



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black




Matt black and gold




OSIRA

pendants

3403623



3403624



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black




Matt black and gold




OSIRA

pendants

3403625




3403626



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black



Matt black and gold



E 2 7



OSIRA

wall and ceiling light

3403631



3403632



Material: aluminium / glass
Light Source: E14, not included
recommended bulbs see page 370 - 371



Matt black



Matt black and gold





OSIRA

ceiling light

3403633




3403634



Material: aluminium / glass
Light Source: E14, not included
recommended bulbs see page 370 - 371



Matt black



Matt black and gold



OSIRA

wall light, table light and floor light





3403627



3403628



3403629



Power cord and on/off switch included with floor and table light.

Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black



Matt black and gold



3403648 +
GL340363X200



3403648 +
GL340363X250






empty pendants
also available with
gold detail (3403649)
choose any glass to
complete the
pendant

3403627 +
GL340363X150



wall light standard
with clear glass,
replace the clear
glass with a green
glass



Green glass available for most OSIRA pendants.
Buy separately to create your own pendants with multi coloured glass.

Empty single light OSIRA pendants (1x E27) available:

3403648: black with 3m cable

3403649: black/gold with 3m cable

Material: aluminium / glass
Light Source: E27 / E14, not included
recommended bulbs see page 370 - 372



Matt black



Matt black and gold



OSIRA



OSIRA

custom pendant

**Custom pendant:
3403625**

2x clear glass
(2x original glasses, part of pendant)

2x replacement glass amber
(2x GL340361X250)


3x replacement glass green
(3x GL340363X200)



OSIRA glass overview:

Reference	Description	EAN
GL340364X100	GLASS for OSIRA amber 100mm	5414358112646
GL340361X150	GLASS for OSIRA amber 150mm	5414358110925
GL340361X200	GLASS for OSIRA amber 200mm	5414358110918
GL340361X250	GLASS for OSIRA amber 250mm	5414358110901
GL340361X300	GLASS for OSIRA amber 300mm	5414358110895
GL340363X100	GLASS for OSIRA clear 100mm	5414358112639
GL340362X150	GLASS for OSIRA clear 150mm	5414358110963
GL340362X200	GLASS for OSIRA clear 200mm	5414358110956
GL340362X250	GLASS for OSIRA clear 250mm	5414358110949
GL340362X300	GLASS for OSIRA clear 300mm	5414358110932
GL340363X150	GLASS for OSIRA green 150mm	5414358112318
GL340363X200	GLASS for OSIRA green 200mm	5414358112325
GL340363X250	GLASS for OSIRA green 250mm	5414358112332

Material: aluminium / glass
Light Source: E27, not included
 recommended bulbs see page 370 - 372



OSIRA + REMY

optional glass



3403649 +
GL340367X185



3403649 +
GL340367X240



empty pendants
also available
completely black
(3403648)
choose any glass to
complete the
pendant



REMY glass available for any OSIRA pendant.

Empty OSIRA pendants (1x E27) available:

3403648: black with 3m cable

3403649: black/gold with 3m cable

Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black




Matt black and gold




OSIRA + REMY

optional glass

3403649 +
GL340367X290



3403649 +
GL340367X400




REMY glass overview:

Reference	Description
GL340367X185	REMY glass amber 185mm
GL340367X240	REMY glass amber 240mm
GL340367X290	REMY glass amber 290mm
GL340367X400	REMY glass amber 400mm

EAN
5414358112646
5414358110925
5414358110918
5414358110901

Material: aluminium / glass
Light Source: E27, not included
 recommended bulbs see page 370 - 372



RAGA

pendants




3403557



3403550



3403556



Material: steel

Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black and bronze



RAGA

pendants

3403551



3403549



Material: steel
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black and bronze



E 2 7


RAGA

pendants

3403554



3403547



Material: steel
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black and bronze





RAGA

ceiling light and pendant

3403553



3403548



Material: steel
Light Source: E27, not included
recommended bulbs see page 370 - 372




Matt black and bronze




RAGA

floor light and table light

3403552



3403555



Power cord and on/off switch included with floor and table light.

Material: steel

Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black and bronze



RAGA



wall and ceiling light

3403651



↑
wall light with
on-off switch

3403652



Material: steel
Light Source: E14, not included
recommended bulbs see page 370 - 371



Matt black and bronze





RAGA

ceiling lights

3403653



3403654



Material: steel
Light Source: E14, not included
recommended bulbs see page 370 - 371



Matt black and bronze



ROGODO

pendants




3416195



3416196



3416197



Material: steel / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black and chrome



RONIN

pendants




3432001



3432011



3432021



Copper and white



Matt scratched coffee and gold



Matt black and gold

Material: aluminium

Light Source: E27, not included
recommended bulbs see page 370 - 372



RONIN

pendants




3432002



3432012



3432022



Copper and white



Matt scratched coffee and gold



Matt black and gold

Material: aluminium

Light Source: E27, not included
recommended bulbs see page 370 - 372



RONIN

pendants




3432003



3432013



3432023



Copper and white



Matt scratched coffee and gold



Matt black and gold

Material: aluminium


Light Source: E27, not included
recommended bulbs see page 370 - 372



RONIN

pendants

3432015



Material: aluminium
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black and gold




E 27


SHURU

pendants


3403570



3403576



3403577



Material: steel

Light Source: E27, not included
recommended bulbs see page 370 - 372




Matt black and bronze




SHURU

pendants

3403571



3403569



Material: steel
Light Source: E27, not included
recommended bulbs see page 370 - 372




Matt black and bronze




SHURU

pendants

3403574



3403567



Material: steel
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black and bronze





SHURU

pendant and ceiling light

3403568



3403573



Material: steel
Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black and bronze





SHURU

table and floor light

3403572



3403575



Power cord and on/off switch included with floor and table light.

Material: steel

Light Source: E27, not included
recommended bulbs see page 370 - 372



Matt black and bronze



TABOO

pendants

4014648



4014647




4014646



4014645



Decorative light bulb:
8204258 - dark grey
more info: page 340



Material: aluminium
Light Source: 2x GU10 not included,
recommended 8202652 or Deep Deco GU10 (page 367,369)
3x E27 not included,
recommended 8204256 (amber), 8204239 (clear) (page 372)



TABOO

pendants

4014640



4014643




4014642



4014641



Decorative light bulb:
8204257 - amber
more info: page 340



Brushed gold



Brushed bronze



Brushed steel



Matt black



GU10




E27

Material: aluminium
Light Source: 1x GU10 not included,
recommended 8202652 or Deep Deco GU10 (page 367,369)
2x E27 not included,
recommended 8204256 (amber), 8204239 (clear) (page 372)

TABOO

pendants



Tip! Install these pendants on a 1F track!
Remove the ceiling mount and replace it with a track adapter (**TR0123B/W**).

-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
recommended 8202652 or Deep Deco GU10 (page 367,369)
E27 not included,
recommended 8204256 (amber), 8204239 (clear) (page 372)



TABOO

pendants



Brushed gold



Brushed bronze



Brushed steel



Matt black

Material: aluminium

Light Source: 4x GU10 not included,
recommended 8202652 or Deep Deco GU10 (page 367,369)
3x E27 not included,
recommended 8204256 (amber), 8204239 (clear) (page 372)



TABOO

pendants


4014653



4014652



4014650



-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black

Material: aluminium
Light Source: 4x GU10 not included, recommended 8202652 or Deep Deco GU10 (page 367,369)
3x E27 not included, recommended 8204256 (amber), 8204239 (clear) (page 372)



TABOO

pendants

4014658




4014657



4014656



4014655



Brushed gold



Brushed bronze



Brushed steel



Matt black

Material: aluminium

Light Source: 2x GU10 not included,
recommended 8202652 or Deep Deco GU10 (page 367,369)
2x E27 not included,
recommended 8204256 (amber), 8204239 (clear) (page 372)



TABOO

wall lights

4014560



4014540



4014530



4014520



4014550


rotate head



tilt head



wall light with on-off switch



-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



TABOO

surface and recessed spots

4014561



4014551



4014541



4014531



4014521



4014566



4014556



4014546



4014536





4014526



Input spot:

Mount this spotlight flush in your ceiling, no need for a visible ceiling mounted box.



Brushed gold



Brushed bronze



Brushed steel



Matt black



Matt white

Material: aluminium

Light Source: GU10 not included

recommended bulbs:

Deep Deco GU10 bulbs, more info page 367

8202652, more info page 369



TABOO

spots

4014562



4014563



4014564



4014565



4014552



4014553



4014554



4014555



4014542



4014543



4014544



4014545



4014532



4014533



4014534



4014535



4014522






4014523



4014524



4014525



-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
 recommended bulbs:
 Deep Deco GU10 bulbs, more info page 367
 8202652, more info page 369



TABOO

1f trackspots

TR0135DG



TR0135BR

TR0135B

TR0135G



TR0135W



Track spot:

Made for 1F tracks, has restricted movement in the INFINITUS profile (Premium Collection).

-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



TABOO

wall lights

4014614



4014611





4014612



4014610



4014613



-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



TABOO

table light






Table light
power cable with
on-off switch included

-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



TABOO

floor light



-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
 recommended bulbs:
 Deep Deco GU10 bulbs, more info page 367
 8202652, more info page 369



TRITON

wall and ceiling spots

3433021



3433022



3433023



3433031



3433032



3433033






3433041



3433042




3433043



Matt white



Matt black



Matt black bronze

Material: steel

Light Source: GU10 not included, max 35 Watt
recommended bulb 8202652, see page 369



TRITON

wall and ceiling spots

3433024



3433025



3433034





3433035



3433044



3433045



Matt white



Matt black



Matt black bronze

Material: steel

Light Source: GU10 not included, max 35 Watt recommended bulb 8202652, see page 369



TRITON

1F track spot


TR0132B



TR0132W



TR0132BR



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).



Matt white



Matt black



Matt black bronze

Material: steel

Light Source: GU10 not included, max 35 Watt recommended bulb 8202652, see page 369



TRITON

pendants


3433036



3433026



3433046



Tip! Install these pendants on a 1F track!
Remove the ceiling mount and replace it with a track adapter (**TR0123B/W**).



Matt white



Matt black



Matt black bronze

Material: steel

Light Source: GU10 not included, max 35 Watt
recommended bulb 8202652, see page 369



4016200B



4016201B



4016202B



4016200BR



4016201BR



4016202BR



tilt head




4016200W



4016201W



4016202W



LED CHIP:
7,5 Watt
620 Lumen

Material: aluminium
Light Source: included (DOB), 2700K warm white, LS401620X




Matt black



Matt white



Matt black brushed bronze




4016203B



4016203BR



4016203W



LED CHIP:
7,5 Watt
620 Lumen



Matt black




Matt white



Matt black brushed bronze

Material: aluminium

Light Source: included (DOB), 2700K warm white, LS401620X



OYO

recessed spot

4016204B



4016204BR




4016204W



tilt head



rotate head



LED CHIP:

7,5 Watt

620 Lumen




Matt black



Matt white



Matt black brushed bronze



Material: aluminium

Light Source: included (DOB), 2700K warm white, LS401620X



TR0170B



TR0170BR



TR0170W



LED CHIP:
7,5 Watt
620 Lumen

Track spot:
Made for 1F tracks
Not compatible with the INFINITUS profile
(Premium Collection)



Matt black




Matt white



Matt black brushed bronze

Material: aluminium

Light Source: included (DOB), 2700K warm white, LS401620X




PULSE

recessed spot

4014344



4014349



Ø80-85mm


Input spot:

Mount this spotlight flush in your ceiling — no need for a visible ceiling mounted box.

Material: aluminium

Light Source: AR111 included, 8202705 (see page 369)

Driver: included, 3419052



PULSE

wall and ceiling spots

4014340



4014341



4014342






4014345




4014346



4014347



Material: aluminium
Light Source: AR111 included, 8202705 (see page 369)
Driver: included, 3419052



PULSE



Bar Sus (Bilzen - Hoeselt)

PULSE

1F track spot

TR0160W




TR0160B



rotate head



tilt head



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).

Material: aluminium

Light Source: AR111 included, 8202705 (see page 369)


Driver: included



Matt black



Matt white



ROBUS

wall and ceiling spots

3427001



3427002



3427003






3427006



3427007



3427008



Matt white chrome



Matt black chrome



Matt black bronze

Material: steel

Light Source: GU10 included, 8202652 (see page 369)



ROBUS

wall and ceiling spots

3427005





3427004



3427009



3427010



GU10 decorative ring available in bronze (3427998) and silver (3427999)



Matt white chrome



Matt black chrome



Matt black bronze

Material: steel

Light Source: GU10 included, 8202652 (see page 369)



ROBUS

wall and ceiling spots




3427011



3427012



3427013



Matt white chrome



Matt black chrome



Matt black bronze

Material: steel

Light Source: GU10 included, 8202652 (see page 369)





ROBUS

wall and ceiling spots

3427015



3427014



GU10 decorative ring available in bronze (3427998) and silver (3427999)



Matt white chrome



Matt black chrome



Matt black bronze

Material: steel

Light Source: GU10 included, 8202652 (see page 369)



RUNE

wall and ceiling spots

3402231



3402232



3402233






3402241



3402242



3402243



Material: steel

Light Source: GU10 included, 8202652 (see page 369)



Matt black



Matt white



RUNE

wall and ceiling spots

3402234





3402235



3402244



3402245



Material: steel
Light Source: GU10 included, 8202652 (see page 369)



RUNE flex

wall light

3402236




wall light with
on-off switch

3402246



flexible goose neck



Material: steel, rubber


Light Source: GU10 included, 8202652 (see page 369)

 Matt black

 Matt white



TR0133B



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).

Material: steel

Light Source: GU10 not included
recommended bulb 8202652, see page 369



Matt black bronze



XZIBIT

wall and ceiling spots

3427031



3427032



3427033



3427035



3427065







3427066



3427067



3427068



Matt white chrome



Matt black chrome



Matt black bronze

Material: steel

Light Source: GU10 included, 8202652 (see page 369)



3427041







3427042






3427043



3427045



GU10 decorative ring available in bronze (3427998) and silver (3427999)




Material: steel
Light Source: GU10 included, 8202652 (see page 369)



XZIBIT

ceiling spot



Matt white chrome



Matt black chrome




Matt black bronze

Material: steel

Light Source: GU10 included, 8202652 (see page 369)







GU10 decorative ring available in bronze (3427998) and silver (3427999)



Matt white chrome



Matt black chrome



Matt black bronze

Material: steel

Light Source: GU10 included, 8202652 (see page 369)



BABAR

ceiling spots


4014437



4014438



4014439



Matt black gold



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369



BABAR

ceiling spots


4014442



4014441



4014440



-  Matt black gold
-  Matt black
-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369



BABAR

ceiling spots


4014448



4014444



4014443




Matt black gold



Matt black




Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium

Light Source: GU10 not included, max 50 Watt

recommended bulbs:
Deep Deco GU10 bulbs, more info page 367

8202652 8202654, more info page 369



BABAR

ceiling spots


4014447



4014446



4014445



Matt black gold



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369



BABAR

ceiling spots


4014455



4014454



4014453



Matt black gold



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium

Light Source: GU10 not included, max 50 Watt

recommended bulbs:
Deep Deco GU10 bulbs, more info page 367

8202652 8202654, more info page 369



BABAR

ceiling spots


4014452



4014451



4014450



Matt black gold



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium

Light Source: GU10 not included, max 50 Watt

recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369



BABAR

1f trackspot


TR0151DG



TR0151BR



TR0151G



Track spot:
Made for 1F tracks.



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369




BABAR

1f trackspot

TR0151W



TR0151B



-  Matt black
-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369



BABAR

1f trackspots


TR0152DG



TR0152BR



TR0152G



Track spot:
Made for 1F tracks.

-  Matt black
-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed steel


Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369



TR0152W



TR0152B




-  Matt black
-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369



BABU

ceiling spots



4014474

4014473


4014472



4014484

4014483

4014482




Material: aluminium
Light Source: E27 not included
recommended bulb 8204240, see page 370



4014471




4014470



4014481



4014480



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium
Light Source: E27 not included
recommended bulb 8204240, see page 370




BABU

1f trackspot

TR0153DG

TR0153BR

TR0153G



Track spot:
Made for 1F tracks.

-  Matt black
-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed steel


Material: aluminium
Light Source: E27 not included
recommended bulb 8204240, see page 370



TR0153B



TR0153W



Matt black



Matt white



Brushed gold



Brushed bronze




Brushed steel

Material: aluminium
Light Source: E27 not included
recommended bulb 8204240, see page 370



BABU

table lights



4014479



4014478



4014477




4014489



4014488



4014487



Power cord and on/off switch included with table light.



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium
Light Source: E27 not included
recommended bulb 8204240, see page 370




4014476



4014475



all table lights with power cable and on-off switch




4014486



4014485



Decorative light bulb:
8204257 - amber
8204258 - dark grey
 more info: page 372



Power cord and on/off switch included with table light.



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel



E 2 7

Material: aluminium
Light Source: E27 not included
 recommended bulb 8204240, see page 370

OLALA

ceiling spots


3407090



3407091



3407092



* Changeable inserts:

Standard insert included with 30° tilt.

Extra inserts available in multiple colours and types in our Premium collection.



Matt white



Matt black



Brushed aluminium

Material: aluminium

Light Source: GU10 not included, max 50 Watt recommended bulb 8202652, see page 369




3407093



3407094



3407095



Matt white



Matt black



Brushed aluminium

Material: aluminium

Light Source: GU10 not included, max 50 Watt
recommended bulb 8202652, see page 369





NORI

ceiling and wall lights

3435090



3435100



LED CHIP:

37 Watt

4654 Lumen



Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 3419066




Matt white




Matt black



3435091



3435101





LED CHIP:
33 Watt
3921 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included, 3419063

 Matt white

 Matt black





NORI

ceiling and wall lights

3435092

3435102



LED CHIP:

36 Watt

4537 Lumen

Material: aluminium / acrylic

Light Source: included, 3000K warm white



Driver: included, 3419066



Matt white





Matt black



DALI
on request

3435093

3435103



LED CHIP:

45 Watt

6051 Lumen



Material: aluminium / acrylic

Light Source: included, 3000K warm white

Driver: included, 3419064

 Matt white

 Matt black





ORSO

ceiling and wall lights

3435065



3435067




LED CHIP:
12 Watt
1688 Lumen

LED CHIP:
18 Watt
2468 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included


 Matt white

 Matt black






DALI
on request

3435066





3435068



LED CHIP:
12 Watt
1688 Lumen

LED CHIP:
18 Watt
2468 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included



OXUS

ceiling lights

3422125





3422126



Pendant kit

cable length: 1200mm
material: aluminium
colour: black (3422128)





LED CHIP:

26 Watt
3600 Lumen

LED CHIP:

34,5 Watt
4800 Lumen


Material: aluminium / plexi
Light Source: included, 2700K warm white
Driver: included



3422123






3422124



Pendant kit

cable length: 1200mm
material: aluminium
colour: white (3422127)



LED CHIP:

26 Watt
3600 Lumen

LED CHIP:

34,5 Watt
4800 Lumen



Material: aluminium / plexi
Light Source: included, 2700K warm white
Driver: included



Matt white



Matt black



RAKU

ceiling lights


4016100



4016110



4016120



LED CHIP:
6,8 Watt
690 Lumen



Matt black brushed steel



Matt black brushed bronze



Matt black brushed gold

Material: aluminium / acrylic
Light Source: included (DOB), 3000K warm white
LS4016XX07




4016101



4016111




4016121




LED CHIP:
11,5 Watt
1200 Lumen


Material: aluminium / acrylic
Light Source: included (DOB), 3000K warm white
LS4016XX12




Matt black brushed steel



Matt black brushed bronze



Matt black brushed gold



RAKU

ceiling lights


4016102



4016112



4016122



LED CHIP:

17,5 Watt

1890 Lumen



Matt black brushed steel



Matt black brushed bronze



Matt black brushed gold

Material: aluminium / acrylic

Light Source: included (DOB), 3000K warm white
LS4016XX18




4016103



4016113



4016123




LED CHIP:
24 Watt
2620 Lumen

 Matt black brushed steel

 Matt black brushed bronze

 Matt black brushed gold

Material: aluminium / acrylic
Light Source: included (DOB), 3000K warm white
LS4016XX24



BIJOU

wall lights

4016130




4016131



4016132



LED backlight



LED CHIP:

8 Watt

810 Lumen



Matt black brushed steel



Matt black brushed bronze





Matt black brushed gold

Material: aluminium / acrylic

Light Source: LED included, 3000K warm white
LS401613X10

Driver: included



DUSK

wall lights

4014571


4014570

4014572



LED backlight



separate on/off switch for the
GU10 bulb and LED backlight



LED CHIP:
5,6 Watt
600 Lumen

-  Matt black brushed steel
-  Matt black brushed bronze
-  Matt black brushed gold

Material: aluminium / steel
Light Source: LED included, 2700K warm white (LS401457X)
 GU10 not included, recommended bulbs:
 Deep Deco GU10 bulbs, more info page 367
 8202652 8202654, more info page 369
Driver: included



DUSK

wall lights

4014580



4014582




4014581



↑
separate on/off switch for the
GU10 bulb and LED backlight

↑
space to charge your phone on
a non-slip mat, using the USB
and USB-C ports included on
the side



LED CHIP:

6 Watt
660 Lumen



Matt black brushed steel



Matt black brushed bronze





Matt black brushed gold

Material: aluminium / steel

Light Source: LED included, 2700K warm white (LS401458X)

GU10 not included, recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369

Driver: included



DUSK

wall lights

4014591




4014590



LED backlight



4014592



LED CHIP:

6 Watt
660 Lumen



Matt black brushed steel



Matt black brushed bronze





Matt black brushed gold

Material: aluminium / steel

Light Source: LED included, 2700K warm white (LS401458X)

GU10 not included, recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369

Driver: included




HELIX

wall lights

4014422



4014420



Material: aluminium

Light Source: G9 not included, max 40 Watt recommended bulbs, see page 372




Matt black gold





Matt white



4014460



4014463



Material: aluminium

Light Source: 2x G9 not included, max 40 Watt recommended bulbs, see page 372

 Matt black gold

 Matt white



NIDUM

wall lights

4014425





4014427



4014430



4014432



Material: aluminium

Light Source: G9 not included, max 40 Watt recommended bulbs, see page 372



Matt white



Matt black gold



4014415





4014417



4014416



4014418



Material: aluminium

Light Source: 2x GU10 not included, max 50 Watt
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369



Matt white



Matt black



RADU

wall lights


4014409



4014413



4014414



-  Matt black gold
-  Matt white
-  Brushed steel
-  Brushed bronze
-  Brushed gold


Material: aluminium
Light Source: G9 not included, max 40 Watt recommended bulbs, see page 372



4014410



4014412



-  Matt black gold
-  Matt white
-  Brushed steel
-  Brushed bronze
-  Brushed gold

Material: aluminium
Light Source: G9 not included, max 40 Watt recommended bulbs, see page 372



SKEELER

wall and ceiling lights



3418090



3418091



3418092



LED CHIP:

4,5 Watt
520 Lumen

LED CHIP:

11 Watt
1240 Lumen

LED CHIP:


16,6 Watt
1850 Lumen



Matt white



Matt black



Material: aluminium / plexi
Light Source: included, 3000K warm white
LSSKEELER5, LSSKEELER12, LSSKEELER18
Driver: included
DRSKEELER5, DRSKEELER12, DRSKEELER18

SKEELER

wall and ceiling lights



3418095



3418096



3418097



LED CHIP:
4,5 Watt
520 Lumen

LED CHIP:
11 Watt
1240 Lumen

LED CHIP:
16,6 Watt
1850 Lumen



Matt white





Matt black

Material: aluminium / plexi

Light Source: included, 3000K warm white
LSSKEELER5, LSSKEELER12, LSSKEELER18

Driver: included
DRSKEELER5, DRSKEELER12, DRSKEELER18



TOKO

wall lights


4014405



4014404



4014403



Matt black gold



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium
Light Source: G9 not included, max 40 Watt recommended bulbs, see page 372





4014402



4014401



4014400



Matt black gold



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel


Material: aluminium
Light Source: G9 not included, max 40 Watt recommended bulbs, see page 372



SHIWA

wall light

3432210



LED CHIP:

4,55 Watt

470 Lumen



Material: aluminium

Light Source: included, 2700K warm white

Driver: included



Matt black and gold



**CEILING
RECESSED**

DEEP DECO

recessed spot


8205020



8205021



Ø58mm



46,5mm

Ø69mm

with led module

Material: aluminium

Light Source: GU10 LED Module included, 8205001

More info see page 367

Leaf springs + quick connector + installation box included

 Matt white


 Matt black

MODULE



DEEP DECO

recessed spot



Material: aluminium

Light Source: GU10 LED Module included, 8205001
More info see page 367

Leaf springs + quick connector + installation box included

 Matt white

 Matt black

MODULE



DEEP DECO

recessed spot


8205050



8205051



Ø46mm



41mm

Ø51mm

with led module

Material: aluminium

Light Source: MR11 LED Module included, 8205003

More info see page 368

Quick connector + installation box included

 Matt white

 Matt black

MODULE



DEEP DECO

recessed spot

8205060




30° tilt

8205061



Ø58mm



46mm

Ø62mm

with led module

Material: aluminium

Light Source: MR11 LED Module included, 8205003

More info see page 368

Quick connector + installation box included

 Matt white

 Matt black

MODULE





DEEP DECO

recessed spot

8205080



8205081



with led module
(not included)

Small recessed spot ideal for architectural light details and accents.

Material: aluminium

Light Source: MR11 LED Module or bulb not included

Recommended bulb 8205003

More info see page 368

 Matt white

 Matt black



SATURN

recessed spot

4014270



4014274



4014273




4014272



4014275



4014271



-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed aluminium
-  Brushed steel
-  Matt black

Material: aluminium
Light Source: GU10, not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



SATURN

recessed spot

4014280



4014284



4014283



4014282




4014285



4014281



30° tilt



-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed aluminium
-  Brushed steel
-  Matt black

Material: aluminium
Light Source: GU10, not included
 recommended bulbs:
 Deep Deco GU10 bulbs, more info page 367
 8202652, more info page 369



SATURN MINI

recessed spot

4014279W



4014279G



4014279BR




4014279AL



4014279DG



4014279B



-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed aluminium
-  Brushed steel
-  Matt black

Material: aluminium
Light Source: MR11, not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



SATURN MINI

recessed spot

4014289W



4014289G



4014289BR



4014289AL




4014289DG



4014289B



30° tilt



-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed aluminium
-  Brushed steel
-  Matt black

Material: aluminium
Light Source: MR11, not included
 recommended bulbs:
 Deep Deco GU10 bulbs, more info page 367
 8202652, more info page 369



TETIZ

recessed spot

8202560



8202561



8202562



8202563



8202570







8202571



8202572



8202573



Ø70mm



Ø90mm



Ø75mm



Ø90mm

Leaf springs available (sold per piece), for installation in concrete.

OND820256x for items 8202562 and 8202572

OND820257x for items 8202563 and 8202573

Material: aluminium

Light Source: GU10, not included

recommended bulbs:

Deep Deco GU10 bulbs, more info page 367

8202652, more info page 369

 Matt white

 Matt black



ZOOM I

recessed spot

4014010




4014011



4014015





4014016



4014020




4014021



-  Brushed aluminium
-  Matt white
-  Matt black

Material: aluminium
Light Source: GU10 included, 8202652 (see page 369)
 Leaf springs and torsion springs included for 1 light version



ZOOM II

recessed spot

4014030



4014031



4014035





4014036



4014040



4014041



-  Brushed aluminium
-  Matt white
-  Matt black

Material: aluminium
Light Source: GU10 included, 8202652 (see page 369)
Leaf springs and torsion springs included for 1 light version



ZOOM III

recessed spot

4014050



4014051




4014055





4014056



4014060




4014061



-  Brushed aluminium
-  Matt white
-  Matt black

Material: aluminium
Light Source: GU10 included, 8202652 (see page 369)
 Leaf springs and torsion springs included for 1 light version





PULSE

recessed spot


4014344



4014349



Material: aluminium
Light Source: AR111 included, 8202705 (see page 369)
Driver: included, 3419052



4014715B



4014715W




4014715G



Input spot:

Mount this spotlight flush in your ceiling, no need for a visible ceiling mounted box. Leaf springs included.



-  Brushed Gold
-  Matt white
-  Matt black

Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369



OYO

recessed spot

4016204B



4016204BR




4016204W



tilt head


rotate head

LED CHIP:

7,5 Watt

620 Lumen



Matt black and bronze




Matt black



Matt white

Material: aluminium

Light Source: included (DOB), 2700K warm white, LS401620X



TABOO

recessed spot

4014566



4014556



4014546



4014536





4014526



Input spot:

Mount this spotlight flush in your ceiling,
no need for a visible ceiling mounted box.



-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



FLOOR AND TABLE LIGHTS



ANNU

floor and table light

3435011



3435012



LIGHT FIXTURE:

21 Watt
1360 Lumen

LIGHT FIXTURE:



37 Watt
2405 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white

Power cord with dimmer/adaptor included

 Matt white


 Matt black



ANNU

floor and table light



3435001



LIGHT FIXTURE:

21 Watt
730 Lumen

3435002



LIGHT FIXTURE:


37 Watt
1295 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white

Power cord with dimmer/adaptor included


 Matt white

 Matt black



3435021

3435031



LIGHT FIXTURE:

25 Watt
875 Lumen

LIGHT FIXTURE:



25 Watt
1625 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Power cord with dimmer/adaptor included


 Matt white

 Matt black



BABU

table lights



4014479



4014478



4014477




4014489



4014488



4014487



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium

Light Source: E27 not included
recommended bulb 8204240, see page 370

Power cord and on/off switch included with table light.




4014476



4014475



all table lights with power cable and on-off switch




4014486



4014485



Decorative light bulb:
8204257 - amber
8204258 - dark grey
 more info: page 372



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium
Light Source: E27 not included
 recommended bulb 8204240, see page 370

Power cord and on/off switch included with table light.





CALES

floor lights

3375020

3375022

dim and control the uplighter and reading lamp separately



LED CHIP uplighter:

24,5 Watt
3020 Lumen

LED CHIP reading lamp:

5 Watt
630 Lumen

Material: steel

Light Source: LED included, 3000K,
LED uplighter: LS337502X2, LED reading lamp: LS337502X1

Driver: included, DR337502X



Power cord and adapter included



Brushed steel



Matt black



DARLING

table lights

3350008




touch dimmer dims the lamp in 3 steps

3350009





tilt the lamp shade up to 40°



LED CHIP:
5 Watt
550 Lumen



Material: plastic / steel
Light Source: LED included, 3000K
Driver: included
black adapter: DR3350022, white adapter: DR3350023

Power cord and adapter included



GURI

floor light





LED CHIP:
43 Watt
7228 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Power cord with dimmer/adaptor included

 Matt white


 Matt black



3435050



3435040



LIGHT FIXTURE:



5 Watt
275 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Power cord with dimmer/adaptor included



 Matt white

 Matt black



GURI

floor lights



LIGHT FIXTURE:

44 Watt



2115 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included

Power cord with dimmer/adaptor included




 Matt white

 Matt black



GURI



floor light



LED CHIP:
30 Watt
4500 Lumen

Material: aluminium / acrylic
Light Source: included, 3000K warm white
Driver: included



Power cord with dimmer/adaptor included



INDEX

table light

3350082





LED CHIP:
4,8 Watt
480 Lumen

Material: plastic / steel
Light Source: LED included, 3000K
Driver: included

Power cord and adapter included




Matt black and silver



3350005




3350006



LED CHIP:
2,6 Watt
275 Lumen

Material: plastic / steel
Light Source: LED included, CCT
Driver: included
black adapter: DR3350025, white adapter: DR3350026

Power cord and adapter included




MONIX

floor light

3375017

touch dimmer →



LED CHIP:

6 Watt



665 Lumen

Material: steel

Light Source: LED included, 3000K, LS3375017



Driver: included, DR3375017

Power cord and adapter included




3350022

3350023



touch dimmer dims the lamp in 3 steps



LED CHIP:
4,3 Watt
580 Lumen

Material: plastic / steel
Light Source: LED included, 3000K
Driver: included
black adapter: DR3350022, white adapter: DR3350023



Power cord and adapter included



Matt white and gold



Matt black and gold





NONI

floor lights

3350025

3350026



touch dimmer dims the lamp in 5 steps



LED CHIP:

4,3 Watt

580 Lumen

Material: plastic / steel

Light Source: LED included, 3000K

Driver: included

black adapter: DR3350025, white adapter: DR3350026



Power cord and adapter included



Matt white and gold



Matt black and gold




3350027



3350028



on / off switch



LED CHIP:
3,5 Watt
480 Lumen

Material: plastic / steel
Light Source: LED included, 3000K
Driver: included





Matt white and gold



Matt black and gold


On / off switch included




OKIRU

table and floor light

3403658



3403665



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 338 - 340

Power cord and on/off switch included



Matt black and gold





OONAH

table lights

3432141



3432142



Matt white and gold



Matt black and gold

Material: steel / aluminium
Light Source: E27, not included
recommended bulbs see page 370 - 372

Power cord and on/off switch included



ORYX

table lights



Brushed Gold



Matt white



Matt black


Material: aluminium

Light Source: MR11 not included

recommended bulbs:
Deep Deco MR11 bulbs, more info page 368

8202653, more info page 369





-  Brushed Gold
-  Matt white
-  Matt black


Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369





OSIRA

table and floor light

3403618



3403619



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372

Power cord and on/off switch included



Matt black



Matt black and gold




E 2 7



OSIRA

table and floor light

3403628



3403629



Material: aluminium / glass
Light Source: E27, not included
recommended bulbs see page 370 - 372

Power cord and on/off switch included



Matt black



Matt black and gold




QUONOS

table light

3350093


change the colour temperature:
cycle between 3000K, 6500K, 4100K



LED CHIP:
7 Watt
780 Lumen

Material: plastic / aluminium
Light Source: LED included, CCT
Driver: included


Power cord and adapter included




RAGA

floor light and table light

3403552



3403555



Material: steel

Light Source: E27, not included
recommended bulbs see page 370 - 372

Power cord and on/off switch included



Matt black and bronze



SAFRANE

floor lights

3377001



3377002



3377003



3377004



LED CHIP:

4,6 Watt

486 Lumen



Brushed steel



Brushed bronze



Matt white





Matt black

Material: steel

Light Source: LED included, 3000K

Driver: included, DR3350025

Power cord and adapter included





SHURU

table and floor light

3403572



3403575



Material: steel
Light Source: E27, not included
recommended bulbs see page 370 - 372

Power cord and on/off switch included





Matt black and bronze



SIRANNA

floor light

3375012





LED CHIP:
7,5 Watt
940 Lumen

Material: steel
Light Source: LED included, CCT: 2200K -> 4000K
Driver: included

Power cord and adapter included




Matt black



3350094



3350095



LED CHIP:
4,5 Watt
420 Lumen

Material: plastic / steel
Light Source: LED included, 3000K
Driver: included

Power cord and adapter included



TABOO

table lights





Table light
power cord with
on-off switch included

-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



TABOO

floor lights



-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white


Material: aluminium
Light Source: GU10 not included
 recommended bulbs:
 Deep Deco GU10 bulbs, more info page 367
 8202652, more info page 369



XIMON

floor lights

3435060



3435061



LIGHT FIXTURE:

24 Watt
576 Lumen

LIGHT FIXTURE:



24 Watt
1209 Lumen

Material: aluminium / acrylic
Light Source: LED included, 3000K
Driver: included

Power cord with dimmer/adaptor included

 Matt white

 Matt black



3350070




3350071



touch dimmer dims
the lamp in 3 steps

3350072




LED CHIP:
4,5 Watt
660 Lumen

-  Matt white
-  Matt black
-  Shiny red

Material: plastic / steel
Light Source: LED included, 3000K
Driver: included
white adapter: DR3350070V3, black adapter: DR33500712V3

Power cord and adapter included






ZONIC

floor lights

3350075

3350076



LED CHIP:

4,5 Watt

660 Lumen

Material: plastic / steel

Light Source: LED included, 3000K



Driver: included

white adapter: DR3350075V3, black adapter: DR3350076V3

Power cord with dimmer/adapter included

 Matt white

 Matt black




BATHROOM

4016300W



4016300B



Suitable for bathrooms and outdoors:

The ARTA is IP65 and can be used in bathrooms and outdoors

Material: aluminium, glass

Light Source: GU10, not included
recommended bulb 8202652, see page 369

 Matt white

 Matt black



IMBER

recessed spot


8202580



8202581



8202582



Suitable for bathrooms and outdoors:

The IMBER is IP44 and can be used in bathrooms and outdoors



Matt white



Brushed aluminium



Matt black

Material: aluminium, glass
Light Source: GU10, not included
recommended bulb 8202652, see page 369



AMUR

mirror and wall lights

3418100



3418105




3418101






3418106



3418102



3418107




LED CHIP:
8 Watt
820 Lumen

LED CHIP:
12 Watt
1240 Lumen

-  Matt white
-  Chrome
-  Matt black

Material: aluminium, plexi
Light Source: included, 3000K warm white
LSAMUR8 for 3418100 3418001 3418002
LSAMUR12 for 3418105 3418006 3418007
Driver: included, 3419052



EVIA

mirror and wall lights

4016001



4016010



4016002



4016011






4016003



4016012



Can be mounted on a mirror cabinet or directly on the mirror.




LED CHIP:
4,7 Watt
415 Lumen

LED CHIP:
8 Watt
730 Lumen

-  Chrome
-  Matt black
-  Matt white

Material: ABS
Light Source: included, 2700K warm white



4016210B



4016211B



4016212B



4016213B



4016210W



4016211W



4016212W








4016213W



rotate head

tilt head



Material: aluminium
Light Source: GU10, not included
 recommended bulb 8202652, see page 369

-  Matt white
-  Matt black




OMY BANY BALNEO

wall lights

3406060





3406070



3406080



2 different endcaps
included in box




LED CHIP:
10,5 Watt
1250 Lumen

LED CHIP:
10,5 Watt
1250 Lumen

LED CHIP:
10,5 Watt
1250 Lumen


Material: aluminium, plexi
Light Source: included, 3000K warm white
Driver: included, DR34060X0



4016301W



4016301B



Suitable for bathrooms and outdoors:

The BATU is IP65 and can be used in bathrooms and outdoors

Material: aluminium, glass

Light Source: GU10, not included
recommended bulb 8202652, see page 369

 Matt white

 Matt black




3390031






3390036



3390032



3390037





LED CHIP:
11,5 Watt
1350 Lumen

LED CHIP:
16 Watt
1800 Lumen

Material: ABS

Light Source: included, 3000K warm white
LS339003X1 for 3390031 3390032, LS339003X2 for 3390036 3390037

Driver: included
DR339003X1 for 3390031 3390032, DR339003X2 for 3390036 3390037



QIJO v2.0 CCT

ceiling lights

3390041



3390046



3390051



3390042





3390047



3390052



CCT: Switch the light colour between 3000K - 3400K - 4000K



LED CHIP:

15 Watt
1800 Lumen (3000K)

LED CHIP:

18 Watt
2300 Lumen (3000K)

LED CHIP:

24 Watt
3200 Lumen (3000K)



Matt white



Matt black


Material: ABS

Light Source: included

LS339004X1V2 for 3390041 3390042

LS339004X2V2 for 3390046 3390047

LS339005X1V2 for 3390051 3390052




3390107



3390108



CCT: Switch the light colour between 3000K - 3400K - 4000K



LED CHIP:



13 Watt
1600 Lumen (3000K)



Matt white



Matt black



Material: ABS
Light Source: included
LS33901078
Driver: included
DR33901078



ZAZOU

ceiling lights

3434070



3434071





LED CHIP:
6 Watt
640 Lumen

LED CHIP:
6 Watt
640 Lumen

 Matt white

 Matt black


Material: aluminium, glass
Light Source: included, 3000K warm white
LS343407X
Driver: included
DR343407X



ASLAN

wall light

3429025





LED CHIP:
9 Watt
1055 Lumen

Material: aluminium, stainless steel, glass
Light Source: included, 3000K warm white
LS34290XX1
Driver: included
DR34290XX1




Matt black




BAKU

wall light

3434010



Position against the wall



LED CHIP:

4,5 Watt

400 Lumen

Material: aluminium

Light Source: included, 3000K warm white



LS3434010

Driver: included

DR3434010




Matt black



DAMIR



wall light

3434000



LED CHIP:
5,5 Watt
660 Lumen

Material: aluminium
Light Source: included, 3000K warm white
LS3434000
Driver: included
DR3434000



FLUX

wall lights

3434020







3434025



3434030



3434035



Material: aluminium, glass

Light Source: GU10 not included, max 35 Watt
recommended bulb 8202652, see page 369





Matt black



3429040





3429045



LED CHIP:
3 Watt
221 Lumen

LED CHIP:
2x 3 Watt
436 Lumen



Material: aluminium, glass
Light Source: included, 3000K warm white
LS34290XX3
Driver: included
DR34290XX3 for 3435040
DR34290XX4 for 3435045



ISIK



wall light

3434065



LED CHIP:
2x3 Watt
2x387 Lumen

Material: aluminium
Light Source: included, 3000K warm white
LS3434065
Driver: included
DR3434065



KELSO

wall lights and pole fixture




3429070



3429071



3429072



Material: aluminium, glass
Light Source: E27 not included, max 15 Watt recommended bulbs, see page 370 - 372



3429070
3429072



3429071

KITO

wall lights

3390010



3390013



3390016






3390012



3390015



3390018



LED CHIP:
1,6 Watt
180 Lumen

LED CHIP:
2,9 Watt
340 Lumen

LED CHIP:
3,8 Watt
420 Lumen

Material: ABS

Light Source: included, 3000K warm white

LS339001X1 for 3390010 3390012

LS339001X2 for 3390013 3390015


LS339001X3 for 3390016 3390018



Matt white



Matt black





LIBRA

wall lights

3434060



3434061




LED CHIP:
10 Watt
1184 Lumen

LED CHIP:
10 Watt
1218 Lumen

Material: aluminium, PC
Light Source: included, 3000K warm white
LS3434060 for 3434060
LS3434061 for 3434061



Matt black



MILO

wall lights



3390020



3390025



3 covers included for all MILO items



LED CHIP:
7,8 Watt
880 Lumen

LED CHIP:
7,8 Watt
880 Lumen



Matt white




Matt grey



Matt black

Material: ABS


Light Source: included, 3000K warm white
LS339002X1 for 3390020
LS339002X2 for 3390025



MILOS



wall light

3429030



LED CHIP:
9 Watt
1089 Lumen


Material: aluminium, glass
Light Source: included, 3000K warm white
LS34290XX5
Driver: included
DR34290XX5



NEVE

wall light

3390095



Material: ABS, PC
Light Source: GU10 not included, max 7 Watt
recommended bulb 8202652, see page 369





Matt black



3390001



3390005




LED CHIP:
3,8 Watt
450 Lumen

LED CHIP:
3,8 Watt
470 Lumen

Material: ABS
Light Source: included, 3000K warm white
LS339000X1 for 3390001
LS339000X2 for 3390002



Matt black




NUALA

wall light

3434005



Open and close the shutters to increase or decrease the width of the light beam.



LED CHIP:

2x4 Watt

2x470 Lumen



Material: aluminium

Light Source: included, 3000K warm white
LS3434005

Driver: included
DR3434005




Matt black



ORION





wall lights

3390086



Position against the wall

3390087





LED CHIP:
5,6 Watt
560 Lumen

LED CHIP:
5,6 Watt
560 Lumen

Material: ABS
Light Source: included, 3000K warm white
LS339008X1
Driver: included
DR339008X1

 Matt white

 Matt black






ORION

wall lights

3390088



3390089



LED CHIP:
5,7 Watt
580 Lumen

LED CHIP:
5,7 Watt
580 Lumen



Material: ABS

Light Source: included, 3000K warm white
LS339008X2


Driver: included
DR339008X2

 Matt white

 Matt black



3390060






3390062



3390061



3 covers included for all SIBO items




LED CHIP:
2,8 Watt
310 Lumen

LED CHIP:
2,8 Watt
310 Lumen

LED CHIP:
2,8 Watt
310 Lumen

-  Matt white
-  Matt grey
-  Matt black

Material: ABS
Light Source: included, 3000K warm white
LS3390060 for 3390060
LS3390061 for 3390061
LS3390062 for 3390062



SPECTRA



P+ Plafonds & Prints
(Hever - Boortmeerbeek)



SPECTRA

wall lights

3390092



3390093





LED CHIP:
12,8 Watt
1340 Lumen

LED CHIP:
12,8 Watt
1340 Lumen

 Matt white

 Matt black

Material: ABS
Light Source: included, 3000K warm white
LS339009X2
Driver: included
DR339009X2





SPECTRA

wall lights

3390090



3390091





LED CHIP:
6,7 Watt
700 Lumen

LED CHIP:
6,7 Watt
700 Lumen

Material: ABS
Light Source: included, 3000K warm white
LS339009X1
Driver: included
DR339009X1

 Matt white

 Matt black





TENGU

wall lights

3434055





3434050



LED CHIP:
3 Watt
325 Lumen

LED CHIP:
2x3 Watt
539 Lumen


Material: aluminium, glass
Light Source: included, 3000K warm white
LS343405X
Driver: included
DR343405X



CONTOUR


pole fixture

3429095



LED CHIP:
7 Watt
782 Lumen

3429096





LED CHIP:
7 Watt
782 Lumen

Material: aluminium
Light Source: included, 3000K warm white
LS34290XX5
Driver: included
DR34290XX5

Accessory available:
3429007 Groundspike




Matt black



MILOU

pole fixture

3429085




LED CHIP:
9 Watt
782 Lumen

Material: aluminium
Light Source: included, 3000K warm white
LS34290XX5
Driver: included
DR34290XX5

Accessory available:
3429007 Groundspike




Matt black



TARA


pole fixture

3429090



LED CHIP:
7 Watt
782 Lumen

3429091





LED CHIP:
7 Watt
782 Lumen

Material: aluminium
Light Source: included, 3000K warm white
LS34290XX5
Driver: included
DR34290XX5

Accessory available:
3429007 Groundspike




Matt black




TATTI

wall light and pole fixture

3390100




3390101



3390102



Rotate head 270°



Material: ABS, PC
Light Source: GU10 not included, max 7 Watt
recommended bulb 8202652, see page 369




Matt black



TOWER

pole fixture

3429080





LED CHIP:
9 Watt
1071 Lumen

Material: aluminium
Light Source: included, 3000K warm white
LS34290XX6
Driver: included
DR34290XX6

Accessory available:
3429007 Groundspike




Matt black



TULGA


pole fixture

3429100



LED CHIP:
9 Watt
1071 Lumen

3429101





LED CHIP:
9 Watt
1071 Lumen

Material: aluminium, pc
Light Source: included, 3000K warm white
LS34290XX6
Driver: included
DR34290XX6

Accessory available:
3429007 Groundspike




Matt black



TUVA 2


pole fixture

3429050



LED CHIP:
7 Watt
782 Lumen

3429055





LED CHIP:
7 Watt
782 Lumen

Material: aluminium
Light Source: included, 3000K warm white
LS34290XX5
Driver: included
DR34290XX5

Accessory available:
3429007 Groundspike




Matt black



TUVA 4


pole fixture

3429060



LED CHIP:
7 Watt
782 Lumen

3429065




LED CHIP:
7 Watt
782 Lumen

Material: aluminium
Light Source: included, 3000K warm white
LS34290XX5
Driver: included
DR34290XX5

Accessory available:
3429007 Groundspike



Matt black



WAYRA

pin spot, pole fixture and wall / ceiling spots

3429031







3429032



3429033



3429034



Material: aluminium

Light Source: GU10 not included, max 15 Watt recommended bulb 8202652, see page 369

3429033: 15cm cable pre-installed (2*0,75mm²)



Matt black



ECLIPSE

wall lights and pin spot / pole fixture





3390096



3390097



3390098



LED CHIP:
6,5 Watt
800 Lumen

LED CHIP:
6,5 Watt
800 Lumen

LED CHIP:
6,5 Watt
800 Lumen

Material: ABS, PC

Light Source: included, 3000K warm white

LS3390096 for 3390096 3390098, LS3390097 for 3390097



Driver: included

DR3390096 for 3390096 3390098, DR3390097 for 3390097

3390098: 20cm cable pre-installed (2*0,75mm²)




Matt black



KOBI

wall / ceiling and pin spot



Material: aluminium, glass
Light Source: GU10 not included, max 35 Watt
recommended bulb 8202652, see page 369

35cm cable pre-installed (3*0,75mm²)




Matt black



PIKI

wall / ceiling and pin spot

3376061



Material: aluminium, glass

Light Source: GU10 not included, max 35 Watt
recommended bulb 8202652, see page 369

no cable pre-installed




Matt black



SPIKA

pin spot

3376060





LED CHIP:
10 Watt
700 Lumen

Material: aluminium, glass
Light Source: included, 3000K warm white
LS3376060
Driver: included
DR3376060

50cm cable pre-installed (3*1mm²)




Matt black



TORUN

wall / ceiling and pin spot


3429026



LED CHIP:

7 Watt
782 Lumen

3429027



LED CHIP:



7 Watt
782 Lumen

Material: aluminium, glass
Light Source: included, 3000K warm white
LS34290XX5
Driver: included
DR34290XX5

3429027: 120cm cable pre-installed (3*1mm²)




Matt black



URI

wall / ceiling and pin spot

3390106





LED CHIP:
4 Watt
460 Lumen

Material: ABS, PC
Light Source: included, 3000K warm white
LS3390106

30cm cable pre-installed (2*0,75mm²)




Matt black



YAKU

wall / ceiling and pin spot



Material: ABS, PC
Light Source: GU10 not included, max 7 Watt
recommended bulb 8202652, see page 369

25cm cable pre-installed (2*0,75mm²)




Matt black



SUMMIT

uplighter and wall light

3376055



LIGHT FIXTURE:

20 Watt
1858 Lumen

Material: aluminium, glass



Light Source: included, 3000K warm white
LS3376055

Driver: included
DR3376055

45cm cable pre-installed (3*1mm²)



Matt grey





ATLANTIS II

recessed floor spots

3376050



3376051



Material: aluminium, stainless steel, glass
Light Source: GU10 not included, max 35 Watt
recommended bulb 8202652, see page 369

60cm cable pre-installed (3*1mm²)



Brushed stainless steel





BEACON

recessed floor spots

3376040



3376041



LED CHIP:
5 Watt
400 Lumen



LED CHIP:
5 Watt
400 Lumen

Material: aluminium, PC
Light Source: included, 3000K warm white
LS337604X
Driver: included
DR337604X

50cm cable pre-installed (3*1mm²)



Matt black



FURI

recessed floor spots




3376020



3376025



3376027



LED CHIP:
7 Watt
590 Lumen

LED CHIP:
6 Watt
570 Lumen



LED CHIP:
15 Watt
1540 Lumen

Material: aluminium, stainless steel, glass
Light Source: included, 3000K warm white
LS3376020 for 3376020, LS3376025 for 3376025, LS3376027 for 3376027
Driver: included
DR3376020 for 3376020, DR3376025 for 3376025, DR3376027 for 3376027

50cm cable pre-installed (3*1mm²)




Brushed stainless steel



NELIO

recessed floor spot

3376030



115x115mm

LED CHIP:

5 Watt

400 Lumen



Material: aluminium, stainless steel, glass
Light Source: included, 3000K warm white
LS3376030

Driver: included
DR3376030

50cm cable pre-installed (3*1mm²)



Brushed stainless steel




TULGA

portable battery powered

3429102



Stepless touch dimming: touch and hold to dim



Battery powered:

Battery: Full after being charged for 7 hours.

Lamp operation time: More than 5 hours at brightest level when the battery is full.

LIGHT FIXTURE:

2 Watt

240 Lumen

Material: aluminium, pc

Light Source: included, 3000K warm white

Usb cable included, 2200 mAh battery included



Matt black



ARGIA



ARGIA

portable battery powered


3350085



3350086



Stepless touch dimming: touch and hold to dim



Battery powered:

Battery: Full after being charged for 5 hours.

Lamp operation time: More than 6 hours at brightest level when the battery is full.

LIGHT FIXTURE:

1,6 Watt

230 Lumen


Material: aluminium, plexi

Light Source: included, 3000K warm white

Usb cable included, 2200 mAh battery included

 Matt white

 Matt black



BARBARA




BARBARA

portable battery powered

3430060



Use this to hang me from a tree branch!



Battery powered:

Battery: Full after being charged for 7 hours.

Lamp operation time: More than 5 hours at brightest level when the battery is full.


LIGHT FIXTURE:

1,2 Watt
60 Lumen

Material: plastic



Light Source: included, 3000K warm white

Usb cable included, 2000 mAh battery included



BOLETO

portable battery powered



Battery powered:

Battery: Full after being charged for 5 hours.

Lamp operation time: More than 6 hours at brightest level when the battery is full.

LIGHT FIXTURE:

1,6 Watt

170 Lumen


Material: steel, plastic

Light Source: included, 3000K warm white

Usb cable included, 2200 mAh battery included

 Matt white

 Matt black




CYRUS

portable battery powered

3350087



Stepless touch dimming: touch and hold to dim



Battery powered:

Battery: Full after being charged for 5 hours.

Lamp operation time: More than 5 hours at brightest level when the battery is full.

LIGHT FIXTURE:

1,6 Watt

250 Lumen


Material: steel, plastic

Light Source: included, 3000K warm white

Usb cable included, 1800 mAh battery included





Matt black



FAR

portable battery powered



Battery powered:

Battery: Full after being charged for 5 hours.

Lamp operation time: More than 6 hours at brightest level when the battery is full.

LIGHT FIXTURE:

1,6 Watt

170 Lumen


Material: steel, plastic

Light Source: included, 3000K warm white

Usb cable included, 2200 mAh battery included

 Matt white

 Matt black




3429073



3429074



Stepless touch dimming: touch and hold to dim



Battery powered:

Battery: Full after being charged for 7 hours.

Lamp operation time: More than 5 hours at brightest level when the battery is full.

LIGHT FIXTURE:

2 Watt
200 Lumen

Material: steel, plastic

Light Source: included, 3000K warm white


Usb cable included, 2200 mAh battery included



Matt white



Matt black



POPPY



POPPY

portable battery powered

3430070



3430071




3430072



3430073



Stepless touch dimming: touch and hold to dim



Battery powered:

Battery: Full after being charged for 8 hours.

Lamp operation time: More than 6 hours at brightest level when the battery is full.

LIGHT FIXTURE:

2 Watt

180 Lumen



Dark marble




Grey marble



Brushed copper



Brushed bronze



Material: aluminium, plexi
Light Source: included, 3000K warm white

Usb cable included, 4000 mAh battery included

QUTE

portable battery powered

3430040




3430041



3430042



Stepless touch dimming: touch and hold to dim



Battery powered:

Battery: Full after being charged for 7 hours.

Lamp operation time: More than 5 hours at brightest level when the battery is full.

LIGHT FIXTURE:

3 Watt

320 Lumen



Matt black



Brushed copper



Brushed old bronze

Material: steel, plastic

Light Source: included, 3000K warm white

Usb cable included, 4000 mAh battery included



QUTE

portable battery powered

3430050




3430051



3430052



Stepless touch dimming: touch and hold to dim



Battery powered:

Battery: Full after being charged for 7 hours.

Lamp operation time: More than 5 hours at brightest level when the battery is full.

LIGHT FIXTURE:

3 Watt

320 Lumen



Matt black



Brushed copper




Brushed old bronze

Material: steel, plastic

Light Source: included, 3000K warm white

Usb cable included, 4000 mAh battery included



NORD

solar powered wall light

CASAR



3429075



3429077



Easy installation,
no wires or connections
necessary, just attach me
to your wall!



LIGHT FIXTURE:

2 Watt
236 Lumen

LIGHT FIXTURE:

2 Watt
155 Lumen


Material: aluminium, plexi / glass

Light Source: included, 3000K warm white

Solar powered, multimode infrared movement and light sensor
2200 mAh battery included



Matt black



RAGNAR

JARDIN

solar powered wall light

3429076

Solar panel





3429078



Sensor

Mode selector

Easy installation:
no wires or connections
necessary, just attach me
to your wall!



LIGHT FIXTURE:

2 Watt
96 Lumen

LIGHT FIXTURE:

2 Watt
96 Lumen



Material: aluminium, plexi

Light Source: included, 3000K warm white

Solar powered, multimode infrared movement and light sensor
2200 mAh battery included



Matt black



ECLIPSE



ECLIPSE

solar powered pin spot / pole fixture



1) Sensor


2) Mode selector

Mode 1: 10% light at night, sensor off

Mode 2: 10% light at night, when motion is detected:
100% light for 15 seconds

Mode 3: 0% light at night, when motion is detected:
100% light for 15 seconds

Mode 4: Off



Easy installation:
just stick me in
the ground!

LED CHIP:
4 Watt
450 Lumen

Battery powered:

Battery: Full after being charged for 8 hours

Lamp operation time: More than 10 hours for mode 1-2-3


Material: ABS, PC

Light Source: included, 3000K warm white

Solar powered, multimode sensor
1800 mAh battery included




Matt black



TRACK LIGHTING

1F TRACK




Illuminate your space your way — track lighting lets you place lights exactly where you want them. Create custom shapes and layouts that match your style and the room. Choose your favorite spots and pendants. One system, endless design freedom.

TR0101B

1F TRACK 930mm, black

TR0101W

1F TRACK 930mm, white




TR0102B

1F TRACK 1930mm, black

TR0102W

1F TRACK 1930mm, white




TR0111B

Linear mini connector, black

TR0111W

Linear mini connector, white




TR0112B

Linear connector + feeder, black

TR0112W

Linear connector + feeder, white




TR0118B

Feeder left, black

TR0118W

Feeder left, white




TR0113B

L-connector + feeder, black, earth out

TR0113W

L-connector + feeder, white, earth out




TR0119B

Feeder right, black

TR0119W

Feeder right, white




TR0114B

L-connector + feeder, black, earth in

TR0114W

L-connector + feeder, white, earth in



EUtrac standard

Material: aluminium for track, ABS for track parts and connectors


max load: 16A (220-240V)



1F TRACK

TR0115B

T-connector + feeder, black, earth in




TR0115W

T-connector + feeder, white, earth in

TR0116B

T-connector + feeder, black, earth out




TR0116W

T-connector + feeder, white, earth out

TR0117B

X-connector + feeder, black




TR0117W

X-connector + feeder, white

TR0123B

Track adaptor, black




TR0123W

Track adaptor, white

TR0125B

Flexible connector + feeder, black




TR0125W

Flexible connector + feeder, white

TR0126B

Variable L-connector, black




TR0126W

Variable L-connector, white

TR0120B


Endcap, black



TR0120W

Endcap, white

The track adaptor can be used with most pendants with removable bulbs.



EUtrac standard

Material: aluminium for track, ABS for track parts and connectors

max load: 16A (220-240V)



Matt white



Matt black



TR0170B



TR0170BR



TR0170W



LED CHIP:
7,5 Watt
620 Lumen

Track spot:
For the complete OYO collection see page 134
Not compatible with the INFINITUS profile
(Premium Collection)



Matt black




Matt white



Matt black brushed bronze

Material: aluminium

Light Source: included (DOB), 2700K warm white, LS401620X



BABAR

1f trackspot


TR0151DG



TR0151BR



TR0151G



Track spot:
Made for 1F tracks.



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369




BABAR

1f trackspot

TR0151W



TR0151B



-  Matt black
-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369



BABAR

1f trackspot


TR0152DG



TR0152BR



TR0152G



Track spot:
Made for 1F tracks.



Matt black



Matt white



Brushed gold



Brushed bronze



Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369




BABAR

1f trackspot

TR0152W



TR0152B



-  Matt black
-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed steel

Material: aluminium
Light Source: GU10 not included, max 50 Watt
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652 8202654, more info page 369




BABU

1f trackspot

TR0153DG

TR0153BR

TR0153G



Track spot:
Made for 1F tracks.

-  Matt black
-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed steel


Material: aluminium
Light Source: E27 not included
recommended bulb 8204240, see page 370



TR0153B



TR0153W



-  Matt black
-  Matt white
-  Brushed gold
-  Brushed bronze
-  Brushed steel

Material: aluminium
Light Source: E27 not included
recommended bulb 8204240, see page 370



LITHIUM



P+ Plafonds & Prints
(Hever - Boortmeerbeek)


LITHIUM

1F track spot

TR0140W



TR0140B



Optional anti-glare lenses:

15° 8202543 36° 8202545
24° 8202544 60° 8202542

LIGHT FIXTURE:

12 Watt
858 Lumen

Track spot:



Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).



Matt white



Matt black




ORYX

1F track spot

TR01360B

TR01360W

TR01360G



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).
For the complete ORYX collection see page 11



Material: aluminium

Light Source: MR11 not included

recommended bulbs:
Deep Deco MR11 bulbs, more info page 368


8202653, more info page 369



TR01362B

TR01362W

TR01362G



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).
For the complete ORYX collection see page 11

-  Brushed Gold
-  Matt white
-  Matt black

Material: aluminium
Light Source: MR11 not included
recommended bulbs:
Deep Deco MR11 bulbs, more info page 368
8202653, more info page 369




PULSE

1F track spot

TR0160W



TR0160B



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).
For the complete PULSE collection see page 138

Material: aluminium

Light Source: AR111 included, 8202705 (see page 369)

Driver: included, 3419052




Matt black



Matt white



AR111



TABOO

1F track spot

TR0135DG



TR0135BR

TR0135B

TR0135G



TR0135W



Track spot:

Made for 1F tracks, restricted movement in the INFINITUS profile (Premium Collection).
For the complete TABOO collection see page 22

-  Brushed gold
-  Brushed bronze
-  Brushed steel
-  Matt black
-  Matt white

Material: aluminium
Light Source: GU10 not included
recommended bulbs:
Deep Deco GU10 bulbs, more info page 367
8202652, more info page 369



TRITON

1F track spot


TR0132B



TR0132W



TR0132BR



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).
For the complete TRITON collection see page 154



Matt white



Matt black




Matt black bronze

Material: steel

Light Source: GU10 not included, max 35 Watt
recommended bulb 8202652, see page 369



TR0133B



Track spot:

Made for 1F tracks, compatible with the INFINITUS profile (Premium Collection).
For the complete XZIBIT collection see page 149

Material: steel

Light Source: GU10 not included
recommended bulb 8202652, see page 369



Matt black bronze



LEDSTRIPS

LEDSTRIP

24V High Luminous Efficiency

3428212

High Luminous Efficiency

flexible strip w: 8mm
IP20 (for indoor use only)
24V
12 Watt/m - 135 Lumen/Watt
3000K

sold per 12,5 cm
cuttable every 6,25 cm
maximum length 5m




3428213

High Luminous Efficiency

flexible strip w: 8mm
IP20 (for indoor use only)
24V
12 Watt/m - 145 Lumen/Watt
4000K

sold per 12,5 cm
cuttable every 6,25 cm
maximum length 5m



LEDSTRIP



LEDSTRIP

24V Dotless

3428210

Dotless COB

flexible strip w: 8mm
IP20 (for indoor use only)
24V
10 Watt/m - 85 Lumen/Watt
3000K

sold per 10 cm
cuttable every 5 cm
maximum length 5m




3428211

Dotless COB

flexible strip w: 8mm
IP20 (for indoor use only)
24V
10 Watt/m - 85 Lumen/Watt
4000K

sold per 10 cm
cuttable every 5 cm
maximum length 5m



LEDSTRIP

24V Skyline

342850030

sold per 10m reel

342850130

sold per 15m reel

flexible strip w: 10mm
IP20 (for indoor use only)
24V
9,6 Watt/m - 87,5 Lumen/Watt
3000K

cuttable every 5cm
maximum length 15m



342850040


sold per 10m reel

342850140

sold per 15m reel

flexible strip w: 10mm
IP20 (for indoor use only)
24V
9,6 Watt/m - 91,6 Lumen/Watt
4000K

cuttable every 5cm
maximum length 15m



Thanks to its long length of maximum 15m, this ledstrip is perfect for use with the Skyline (page 324)

LEDSTRIP


24V CCT Tunable White

3428502TW

sold per 5m reel

flexible strip w: 8mm
IP20 (for indoor use only)
24V
14,4 Watt/m - 102 Lumen/Watt
CCT: 2700K + 6500K

sold per 12,5 cm
cuttable every 6,25 cm
maximum length 5m




Recommended accessories:

3428230 **Controller**
required to use a remote
to control brightness and
light colour
more info page 321



3428232 **Remote**
control brightness and
light colour and save settings
more info page 321



LEDSTRIP

24V Waterproof IP66

342850327

sold per 5m reel

flexible strip w: 9,5mm
IP66
24V
10 Watt/m - 89,8 Lumen/Watt
2700K

cuttable every 5cm
maximum length 5m

342850330

sold per 5m reel

flexible strip w: 9,5mm
IP66
24V
10 Watt/m - 94,6 Lumen/Watt
3000K

cuttable every 5cm
maximum length 5m

342850340

sold per 5m reel

flexible strip w: 9,5mm
IP66
24V
10 Watt/m - 98 Lumen/Watt
4000K

cuttable every 5cm
maximum length 5m



Recommended driver:


3419019

Input: 220-240V AC
Output: DC 24V
Max: 60 Watt
Current: max 2.5 A

IP67
NON DIMMABLE

PW-60-24

Size: 155x45x32
Weight: 420g



PROFILE

For ledstrips

XINIX

Aluminium recessed profile, for ledstrips max 12mm wide

3428094


17x7x1000mm

3428096

17x7x2000mm

3428098

17x7x3000mm



XINIX

Aluminium recessed profile, for ledstrips max 12mm wide
satin black

3428095


17x7x1000mm

3428097

17x7x2000mm

3428099

17x7x3000mm



NOTTE

Aluminium profile, for ledstrips max 12mm wide

3428103


17,5x15x1000mm

3428108

17,5x15x2000mm

3428113

17,5x15x3000mm



NOTTE

Aluminium profile, for ledstrips max 12mm wide
satin black

3428115


17,5x15x1000mm

3428116

17,5x15x2000mm

3428117

17,5x15x3000mm



CRONE

Aluminium corner profile, for ledstrips max 10mm wide

3428101


16x16x1000mm

3428106

16x16x2000mm

3428111

16x16x3000mm



FENNA

Aluminium recessed profile, for ledstrips max 12mm wide

3428104


25x15x1000mm

3428109

25x15x2000mm

3428114

25x15x3000mm



SKIRRU

Aluminium profile, for ledstrips max 16mm wide
satin black

3428105


19,5x13,7x1000mm

3428110

19,5x13,7x2000mm

3428118

19,5x13,7x3000mm



STYXX

Aluminium profile, for ledstrips max 14mm wide

3428102


21x14x1000mm

3428107

21x14x2000mm

3428112

21x14x3000mm



INVISI


Thinnest profile available, only 10mm wide.

Aluminium recessed profile, for ledstrips max 8mm wide
satin black

3428090

10x10x3000mm

(no mounting clips included)



For most profiles:

- aluminium base + plexi cover included
- end caps included
- mounting clips included

DRIVER

For 24V ledstrips

3419016 *

Input: 220-240V AC
Output: DC 24V
Max: 150 Watt
Current: max 6.25 A
NON DIMMABLE

3419017 *

Input: 220-240V AC
Output: DC 24V
Max: 40 Watt
Current: max 1.7 A
NON DIMMABLE

3419018 *

Input: 220-240V AC
Output: DC 24V
Max: 75 Watt
Current: max 3.1 A
NON DIMMABLE

3419020

Input: 220-240V AC
Output: DC 24V
Max: 25 Watt
Current: max 1.04 A
TRIAC DIMMABLE

3419022

Input: 220-240V AC
Output: DC 24V
Max: 50 Watt
Current: max 2.08 A
TRIAC DIMMABLE

3419023

Input: 220-240V AC
Output: DC 24V
Max: 100 Watt
Current: max 4.2 A
TRIAC DIMMABLE

3419024

Input: 220-240V AC
Output: DC 24V
Max: 75 Watt
Current: max 3.125 A
DALI DIMMABLE

Q8H-24V-150W

Size: 210x67x34
Weight: 360g



Q8H-24V-40W

Size: 166x52x24
Weight: 200g



Q8H-24V-75W

Size: 184x61x32
Weight: 240g



DIM-24-25

Size: 128x52x30
Weight: 110g



DIM-24-50

Size: 184x61x32
Weight: 240g



DIM-24-100

Size: 210x67x34
Weight: 360g



LT-75-24D TW

Size: 400x32x22
Weight: 160g



* These drivers are suitable for use with the controller **3428230**

CONTROL

For 24V ledstrips

3428230

Input: 12-48V DC
Output: 3x 12-48V DC
Max: 3x 288 Watt
Current: max 3x 6 A

V3-L

3 channels
Size: 175x45x27
Weight: 108g



FEATURES

- One RF controller accepts up to 10 remote controls.
- 4096 levels, 0-100% smooth and flicker free dimming.
- Match with RF 2.4G single or multiple zone single colour, dual colour and RGB/RGBW remote control.
- When used with RGB light: built in 10 dynamic mode, including colour jump or gradual colour change.
- Auto-transmitting function: Controller automatically transmits signal to another controller within 30m control distance.
- Light on/off fade time, 3s selectable.
- Connect with external push key to achieve on/off and 0-100% dimming function.
- Over-heat / Over-load / Short circuit protection, recover automatically.

3428231

Output signal: RF 2.4GHz
Working voltage:
3VDC (AAx2)
Working current: <5mA
Standby current: <10µA
Standby time: 1 year
Remote distance: 30m

RT-6

4 zones
Size: 122x53x17
Weight: 80g



FEATURES

- Control 4 zones separately.
- Save brightness level for 4 zones.
- For **single colour** LED strips.
- Ultra sensitive brightness adjustment touch wheel.
- Each remote can match with one or more receivers.
- 2x AAA battery powered.
- Includes LED indicator light.

3428232

Output signal: RF 2.4GHz
Working voltage:
3VDC (AAx2)
Working current: <5mA
Standby current: <10µA
Standby time: 1 year
Remote distance: 30m

RT-7

4 zones
Size: 122x53x17
Weight: 80g



FEATURES

- Control 4 zones separately.
- Save brightness level for 4 zones.
- For **single and dual colour** LED strips.
- Ultra sensitive colour adjustment touch wheel.
- Each remote can match with one or more receivers.
- 2x AAA battery powered.
- Includes LED indicator light.

CONNECTOR

For 24V ledstrips

3428220

For ledstrips: 3428210 3428211


3428224

For ledstrips: 3428212 3428213

8mm double end connector

max 5A

For single colour ledstrips



3428221

For ledstrips: 3428210 3428211

3428225

For ledstrips: 3428212 3428213

8mm single connector

15 cm cable

For single colour ledstrips



3428222

For ledstrips: 3428210 3428211


3428226

For ledstrips: 3428212 3428213

8mm double connector

15 cm cable

For single colour ledstrips



3428223

For ledstrips: 3428210 3428211


3428227

For ledstrips: 3428212 3428213


8mm L connector

To create a 90° angle

For single colour ledstrips



Example:




3428228


For ledstrips: 3428210 3428211

8mm T-connector

For single colour ledstrips



Example:



Connectors make the installation of ledstrips and cables easy and fast, no soldering required.

Only for 8mm single colour ledstrips!

CONNECTOR

For 24V ledstrips

3428229

For ledstrips: 3428210 3428211

8mm multi-function connector

For single colour ledstrips

Options:


T-connector

X-connector


L-connector

Middle connector


Single connector (combine with cable 3428250, 3428251)




Examples:



T-connector




X-connector



L-connector



Middle connector



Single connector

3428250

Cable per 15cm

Red and black cable

6A max



3428251

Cable per 1m

Red and black cable

6A max



SKYLINE


Indirect lighting - direct lighting

3428240

material: steel
colour: matt black

size: 110mm x 250mm x 45mm

wall mount box for driver



3428241

material: steel + ABS
colour: matt black

ledstrip profile, sold per meter
easily cut to size

for ledstrips up to 11,5mm wide
use ledstrips with adhesive tape



3428242

material: aluminium
colour: matt black

wall / ceiling connection kit

to attach the Skyline steel profile

openings provided for LED strip power cables



Recommended ledstrips for the Skyline:
342850030, 342850130, 342850040, 342850140: more info on page 316

SKYLINE



ACCESSORIES

CANOPIES

empty canopies for pendants

3432120 matt white
3432121 matt black
size: w: Ø350mm h: 25mm
material: steel
colour: matt black / matt white
3 pendants



3403585 matt black
size: w: Ø400mm h: 25mm
material: steel
colour: matt black
5 pendants



3403586 matt black
size: l: 900mm w: 300mm h: 25mm
material: steel
colour: matt black
7 pendants



3403587 matt black
size: l: 1100mm w: 300mm h: 25mm
material: steel
colour: matt black
9 pendants



Matt white



Matt black

CANOPIES

empty canopies for pendants

3432122 matt black
3432126 matt white
size: l: 900mm w: 60mm h: 25mm
material: steel
colour: matt black / matt white
3 pendants (spacing 425mm)



3432122

3432123 matt black
3432127 matt white
size: l: 1200mm w: 60mm h: 25mm
material: steel
colour: matt black / matt white
3 pendants (spacing 575mm)



3432123

3432124 matt black
3432128 matt white
size: l: 1500mm w: 60mm h: 25mm
material: steel
colour: matt black / matt white
3 pendants (spacing 725mm)



3432124

3432125 matt black
3432129 matt white
size: l: 1800mm w: 60mm h: 25mm
material: steel
colour: matte black / matt white
5 pendants (spacing 437mm)



3432125



Matt white




Matt black

EMPTY BASE

empty base for pendants

4014370 matt white
4014371 matt black
size: w: Ø43mm
material: aluminium
colour: matt black / matt white




4014370



4014371



4014380 matt white
4014381 matt black
size: w: Ø70mm
material: aluminium
colour: matt black / matt white




4014380



4014381



4014390 matt white
4014391 matt black
size: w: Ø90mm
material: aluminium
colour: matt black / matt white



4014390



4014391



Matt white



Matt black

PENDANTS

canopy and pendant base

OSIRA

3403648

cable length: 3250mm
bulb: E27 (not included)
material: steel / rubber cable
colour: matt black

3403649

cable length: 3250mm
bulb: E27 (not included)
material: steel / rubber cable
colour: matt black / gold

3403648



3403649



Combine with glasses from different series (REMY, OSIRA, OKIRU, ...)
Works with any glass for use with a pendant with E27 bulb.



Matt black and gold



Matt black

PENDANTS

canopy and pendant base

ROGODO

3416251

cable length: 3000mm
bulb: E27 (not included)
material: steel / fabric cable
colour: chrome / black

3416251



3416252

cable length: 1500mm
bulb: E27 (not included)
material: steel / fabric cable
colour: matt black

3416252



3416253

cable length: 3000mm
bulb: E27 (not included)
material: steel / fabric cable
colour: matt black

3416253



Combine with glasses from different series (REMY, OSIRA, OKIRU, ...)
Works with any glass for use with a pendant with E27 bulb.



Matt black and chrome



Matt black

DIMMERS

dimmers for floor and table lights

3419060

size: l: 102mm w: 30mm h: 24mm

voltage: 220-240V

Features:

- Built in on/off rotary knob dimming control
- Brightness dimming 1->100%
- Smooth and flicker free dimming
- Overheat protection function
- Single line control dimming, ideal for table lights
- Suitable for dimming most LED Light Source


Parameters:

LED load: 3W -> 25W max

Incandescent load: 5W -> 100W max

Dimming method: Trailing edge dimming

Ambient operating temperature: 0-40°C



3419061

size: l: 105mm w: 50mm h: 33,5mm

voltage: 220-240V

Features:

- Built in on/off slide dimming control
- Brightness dimming 1->100%
- Smooth and flicker free dimming
- Overheat protection function
- Single line control dimming, ideal for floor lights
- Suitable for dimming most LED Light Source


Parameters:

LED load: 3W -> 100W max

Incandescent load: 5W -> 250W max

Dimming method: Trailing edge dimming

Ambient operating temperature: 0-40°C



CONNECTORS

waterproof connectors for outdoor installations

3424995


Materials: PA66 + brass + silicone

Rated voltage: 250V

Rated current: 16A

Waterproof rating: **IP68**

Connections with fast connectors



3424995



3424996


Materials: PA66 + brass + silicone

Rated voltage: 250V

Rated current: 16A

Waterproof rating: **IP68**

Connections with fast connectors



3424996



LIGHT SOURCES

DEEP DECO


GU10 and LED Modules with decorative rings

8205000

GU10 LED
Beam angle: 36°
7,5 Watt
828 Lumen
2700K Warm White
Ra>80



sold without ring, choose a decorative ring in white, black, bronze or gold



8205040



8205041



8205042



8205043



8205000+
8205040



8205000+
8205041



8205000+
8205042



8205000+
8205043



8205010

GU10 LED
Beam angle: 36°
7,5 Watt
771 Lumen
2700K Warm White
Ra>80



black ring (8205041) included




8205001

GU10 LED MODULE
Beam angle: 36°
7,5 Watt
831 Lumen
2700K Warm White
Ra>80



sold without ring, choose a decorative ring in white, black, bronze or gold



8205040



8205041



8205042



8205043



8205001+
8205040



8205001+
8205041



8205001+
8205042



8205001+
8205043



Light Source dimmable with most trailing edge LED dimmers.

8205010 sold with decorative ring.

8205000 8205001 sold without decorative ring.

Purchase the ring separately in white, black, bronze or gold. (Gold only for GU10 and GU10 LED module)

DEEP DECO


MR11 and LED Modules with decorative rings

8205002

MR11 LED
Beam angle: 36°
4,9 Watt
415 Lumen
2700K Warm White
Ra>80



sold without ring, choose a decorative ring in white, black or bronze



8205070



8205002+
8205070



8205071



8205002+
8205071



8205072



8205002+
8205072




8205011

MR11 LED
Beam angle: 36°
4.9 Watt
400 Lumen
2700K Warm White
Ra>80



white ring (8205070) included



8205012

MR11 LED
Beam angle: 36°
4.9 Watt
400 Lumen
2700K Warm White
Ra>80



black ring (8205071) included




8205003

MR11 LED MODULE
Beam angle: 36°
4,9 Watt
415 Lumen
2700K Warm White
Ra>80



sold without ring, choose a decorative ring in white, black or bronze



8205070



8205003+
8205070



8205071



8205003+
8205071



8205072



8205003+
8205072



Light Source dimmable with most trailing edge LED dimmers.

8205011 8205012 sold with decorative ring.

8205002 8205003 sold without decorative ring.

Purchase the ring separately in white, black or bronze. (Gold only for GU10 and GU10 LED module)

LIGHT SOURCES

8202704



AR111 LED
12,4 Watt
650 Lumen / 1386 Lumen *
Beam angle: 15°
2700K Warm White
Ra>80



size:
ø: 104mm
l: 54mm

8202650



GU10 LED
Beam angle: 36°
4,5 Watt
359 Lumen
2700K Warm White
Ra>90



size:
ø: 50mm
l: 60mm

8202705



AR111 LED
12,4 Watt
650 Lumen / 1386 Lumen *
Beam angle: 30°
2700K Warm White
Ra>80



size:
ø: 104mm
l: 54mm

8202652



GU10 LED
Beam angle: 50°
5 Watt
480 Lumen
2700K Warm White
Ra>80



size:
ø: 50mm
l: 53mm

8202706



AR111 LED
12,4 Watt
650 Lumen / 1386 Lumen *
Beam angle: 15°
3000K Warm White
Ra>80



size:
ø: 104mm
l: 54mm

8202654



GU10 LED
Beam angle: 56°
4,3 Watt
380 Lumen
2700K Warm White
Ra>80



size:
ø: 50mm
l: 55mm

8202707



AR111 LED
12,4 Watt
650 Lumen / 1386 Lumen *
Beam angle: 30°
3000K Warm White
Ra>80



size:
ø: 104mm
l: 54mm

8202659



GU10 LED
Beam angle: 49°
6,25 Watt
690 Lumen
3000K Warm White
Ra>80




size:
ø: 50mm
l: 55mm

8202708



AR111 LED
12,4 Watt
650 Lumen / 1386 Lumen *
Beam angle: 15°
4000K Cool White
Ra>80



size:
ø: 104mm
l: 54mm

8202653



MR11 LED
Beam angle: 50°
3,5 Watt
350 Lumen
2700K Warm White
Ra>80




size:
ø: 34,8mm
l: 47,6mm

8202709



AR111 LED
12,4 Watt
650 Lumen / 1386 Lumen *
Beam angle: 30°
4000K Cool White
Ra>80



size:
ø: 104mm
l: 54mm

Light Source dimmable with most trailing edge LED dimmers.

AR111 LED Light Source require a driver, sold separately.

3419052: dimmable driver; max output: 12Watt - DC 20-40V - 300mA

*Lumen value depends on lens cover, 1st value with lens cover, 2nd value without lens cover.

LIGHT SOURCES

8204201



E14 LED filament
2 Watt
190 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 35mm
l: 98mm

8204220



E27 LED filament
2 Watt
180 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 45mm
l: 72mm

8204202



E14 LED filament
4 Watt
440 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 35mm
l: 98mm

8204221



E27 LED filament
4 Watt
440 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 45mm
l: 72mm

8204203



E14 LED filament
2 Watt
190 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 35mm
l: 118mm

8204230



E27 LED filament
4 Watt
500 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 60mm
l: 118mm

8204204



E14 LED filament
4 Watt
440 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 35mm
l: 118mm

8204231



E27 LED filament
6 Watt
780 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 60mm
l: 118mm

8204205



E14 LED filament
2 Watt
180 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 45mm
l: 77mm

8204232



E27 LED filament
8 Watt
900 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 60mm
l: 118mm

8204206



E14 LED filament
4 Watt
440 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 45mm
l: 77mm

8204240



E27 LED filament
6 Watt
700 Lumen
2500K Warm White
Ra>80
clear glass



size:
ø: 95mm
l: 135mm

Light Source dimmable with most trailing edge LED dimmers.

LIGHT SOURCES

8204241



E27 LED filament
4 Watt
440 Lumen
2500K Warm White
Ra>80
clear glass



size:
ø: 45mm
l: 110mm

8204250



E14 LED filament
3 Watt
155 Lumen
2200K Warm White
Ra>80
vintage, amber glass



size:
ø: 45mm
l: 72mm

8204242



E14 LED filament
4 Watt
440 Lumen
2500K Warm White
Ra>80
clear glass



size:
ø: 64mm
l: 145mm

8204251



E27 LED filament
5 Watt
400 Lumen
2200K Warm White
Ra>80
vintage, amber glass



size:
ø: 45mm
l: 72mm

8204245



E14 LED filament
10 Watt
1100 Lumen
2700K Warm White
Ra>80
opal glass



size:
ø: 90mm
l: 135mm

8204252



E27 LED filament
5 Watt
400 Lumen
2200K Warm White
Ra>80
vintage, amber glass



size:
ø: 60mm
l: 118mm

8204210



E14 LED filament
2 Watt
170 Lumen
2700K Warm White
Ra>80
frosted glass



size:
ø: 35mm
l: 118mm

8204253



E27 LED filament
5 Watt
410 Lumen
2200K Warm White
Ra>80
vintage, amber glass



size:
ø: 60mm
l: 118mm

8204211



E14 LED filament
4 Watt
430 Lumen
2700K Warm White
Ra>80
frosted glass



size:
ø: 35mm
l: 118mm

8204254



E27 LED filament
5 Watt
420 Lumen
2200K Warm White
Ra>80
vintage, amber glass



size:
ø: 60mm
l: 118mm

8204246



E27 LED filament
6 Watt
610 Lumen
2500K Warm White
Ra>80
clear glass



size:
ø: 30mm
l: 185mm

8204255



E27 LED filament
5 Watt
420 Lumen
2200K Warm White
Ra>80
vintage, amber glass



size:
ø: 95mm
l: 135mm

Light Source dimmable with most trailing edge LED dimmers.

LIGHT SOURCES

8204239



E27 LED filament
6 Watt
710 Lumen
2500K Warm White
Ra>80
clear glass



size:
ø: 125mm
l: 175mm

8204257

E27 LED filament
3,5 Watt
150 Lumen
1800K Warm White
Ra>80
amber glass



size:
ø: 125mm
l: 169mm

8204244



E27 LED filament
10 Watt
1290 Lumen
2700K Warm White
Ra>80
opal glass



size:
ø: 125mm
l: 145mm

8204258

E27 LED filament
3,5 Watt
110 Lumen
1800K Warm White
Ra>80
smoke glass



size:
ø: 125mm
l: 169mm

8204256



E27 LED filament
5 Watt
420 Lumen
2200K Warm White
Ra>80
amber glass



size:
ø: 125mm
l: 175mm

8202618



G9 LED
3,5 Watt
300 Lumen
2700K Warm White
Ra>80



size:
ø: 17mm
l: 50mm

8204238



E27 LED filament
6 Watt
730 Lumen
2500K Warm White
Ra>80
clear glass / gold mirror



size:
ø: 125mm
l: 175mm

8202619



G9 LED
4,3 Watt
480 Lumen
2700K Warm White
Ra>80



size:
ø: 18mm
l: 56mm

8202820



E27 LED filament
2,2 Watt
470 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 60mm
l: 105mm

NOT DIMMABLE
HIGH EFFICIENCY

8202821



E27 LED filament
3,8 Watt
806 Lumen
2700K Warm White
Ra>80
clear glass



size:
ø: 60mm
l: 105mm

NOT DIMMABLE
HIGH EFFICIENCY

Light Source dimmable with most trailing edge LED dimmers.

INFO & INDEX

ICONS

information about the icons



This luminaire has a LED chip installed.
In deze armatuur is een LED chip geïnstalleerd.
Ce luminaire est équipé d'une puce LED.
Diese Leuchte verfügt über einen eingebauten LED-Chip.



This light fixture has a lamp holder for MR11 or Mini GU10 type lamps.
Deze armatuur beschikt over een lamphouder voor MR11 of Mini GU10 lampen.
Ce luminaire est équipé d'un support pour ampoules de type MR11 ou Mini GU10.
Diese Leuchte verfügt über eine Fassung für Lampen vom Typ MR11 oder Mini GU10.




This light fixture has a lamp holder for GU10 type lamps.
Deze armatuur beschikt over een lamphouder voor GU10 lampen.
Ce luminaire est équipé d'un support pour ampoules de type GU10.
Diese Leuchte verfügt über eine Fassung für Lampen vom Typ GU10.



This light fixture has a lamp holder for E14 type lamps.
Deze armatuur beschikt over een lamphouder voor E14 lampen.
Ce luminaire est équipé d'un support pour ampoules de type E14.
Diese Leuchte verfügt über eine Fassung für Lampen vom Typ E14.



This light fixture has a lamp holder for E27 type lamps.
Deze armatuur beschikt over een lamphouder voor E27 lampen.
Ce luminaire est équipé d'un support pour ampoules de type E27.
Diese Leuchte verfügt über eine Fassung für Lampen vom Typ E27.



This light fixture has a lamp holder for G9 type lamps.
Deze armatuur beschikt over een lamphouder voor G9 lampen.
Ce luminaire est équipé d'un support pour ampoules de type G9.
Diese Leuchte verfügt über eine Fassung für Lampen vom Typ G9.



This light fixture has a lamp holder for AR111 type lamps.
Deze armatuur beschikt over een lamphouder voor AR111 lampen.
Ce luminaire est équipé d'un support pour ampoules de type AR111.
Diese Leuchte verfügt über eine Fassung für Lampen vom Typ AR111.



This light fixture has a lamp holder for R7S type lamps.
Deze armatuur beschikt over een lamphouder voor R7S lampen.
Ce luminaire est équipé d'un support pour ampoules de type R7S.
Diese Leuchte verfügt über eine Fassung für Lampen vom Typ R7S.



On the lamp icon: "X" lamp is not included, "V" lamp is included.
Op het lamp icoon: "X" lamp is niet inbegrepen, "V" lamp is inbegrepen.
Sur l'icône de la lampe: "X" la lampe n'est pas incluse, "V" la lampe est incluse.
Auf dem Lampensymbol: "X" Lampe ist nicht enthalten, "V" Lampe ist enthalten.




This luminaire has a driver installed.
In deze armatuur is een driver geïnstalleerd.
Ce luminaire est équipé d'un driver.
Diese Leuchte verfügt über einen eingebauten Treiber.



This luminaire is dimmable.
Deze armatuur is dimbaar.
Ce luminaire est dimmable.
Diese Leuchte ist dimmbar.




This luminaire has a rechargeable battery.
Deze armatuur beschikt over een herlaadbare batterij.
Ce luminaire est équipé d'une batterie rechargeable.
Diese Leuchte verfügt über einen wiederaufladbaren Akku.



This light has a solar panel and rechargeable battery.
Deze armatuur beschikt over een zonnepaneel en herlaadbare batterij.
Cet éclairage est équipé d'un panneau solaire et d'une batterie rechargeable.
Diese Leuchte verfügt über ein Solarpanel und einen wiederaufladbaren Akku.



This lighting has a sensor that measures movement and/or light intensity.
Deze armatuur beschikt over een sensor, die beweging en/of lichtsterkte meet.
Cet éclairage est équipé d'un capteur qui mesure les mouvements et/ou la luminosité.
Diese Beleuchtung verfügt über einen Sensor, der Bewegung und/oder Lichtstärke misst.



This lighting shines light upwards and downwards.
Deze armatuur geeft licht naar boven en naar beneden.
Cet éclairage diffuse la lumière vers le haut et vers le bas.
Diese Leuchte strahlt Licht nach oben und unten ab.



This lighting provides light in one direction.
Deze armatuur geeft licht in 1 richting.
Cet éclairage diffuse la lumière dans une seule direction.
Diese Beleuchtung strahlt Licht in eine Richtung aus.



This luminaire is DALI-ready, provided that the internal driver is replaced. For more information, please contact your representative.
Deze armatuur is klaar voor DALI, mits vervanging van de interne driver. Meer info bij uw contactpersoon.
Ce luminaire est compatible DALI, à condition de remplacer le driver interne. Pour plus d'informations, veuillez contacter votre interlocuteur.
Diese Leuchte ist DALI-fähig, sofern der interne Treiber ausgetauscht wird. Weitere Informationen erhalten Sie von Ihrem Ansprechpartner.



Impact protection marking.
The IK rating means the degrees of protection provided by enclosures for electrical equipment against external mechanical impacts or shocks in joules. IK 10 protects against 20.0 joules (5 kg fall from 40 cm).
Recessed floor spots with this rating can be safely driven over.

Slagvastheidsmarkering.

De IK-classificatie geeft de mate van bescherming aan die behuizingen voor elektrische apparatuur bieden tegen externe mechanische schokken of stoten in joules. IK 10 biedt bescherming tegen 20,0 joules (5 kg val vanaf 40 cm). Verzonken vloerspots met deze classificatie kan je veilig over rijden.

Marquage de protection contre les chocs.

L'indice IK correspond au degré de protection offert par les boîtiers des équipements électriques contre les chocs ou impacts mécaniques externes, exprimé en joules. IK 10 protège contre des chocs de 20,0 joules (chute de 5 kg depuis une hauteur de 40 cm).

Les spots encastrés dans le sol présentant cette classification peuvent être traversés en toute sécurité.

Schlagschutzkennzeichnung.

Die IK-Kennzeichnung gibt den Schutzgrad von Gehäusen für elektrische Geräte gegen äußere mechanische Einwirkungen oder Stöße in Joule an. IK 10 schützt gegen 20,0 Joule (5 kg Fall aus 40 cm Höhe). Einbau-Bodenspots mit dieser Schutzart können sicher befahren werden.

ICONS

information about the icons



International Protection marking.

Rates the degree of protection provided against intrusion (body parts such as hands and fingers), dust, accidental contact, and water by mechanical casings and electrical enclosures.

Internationale beschermingsmarkering.

Beoordeelt de mate van bescherming tegen binnendringen van (lichaamsdelen zoals handen en vingers), stof, onbedoeld contact en water door mechanische behuizingen en elektrische omkastingen.

Marquage de protection internationale.

Évalue le degré de protection offert contre les intrusions (parties du corps telles que les mains et les doigts), la poussière, les contacts accidentels et l'eau par des boîtiers mécaniques et des enceintes électriques.

Internationale Schutzartkennzeichnung.

Bewertet den Grad des Schutzes, den mechanische Gehäuse und elektrische Einhausungen gegen das Eindringen von Körperteilen (z. B. Händen und Fingern), Staub, versehentlichem Kontakt und Wasser bieten.

IP 0X	No protection against contact and ingress of objects // Geen bescherming tegen aanraking en binnendringen van voorwerpen // Aucune protection contre le contact et la pénétration d'objets // Kein Schutz gegen Berührung und Eindringen von Gegenständen.
IP 1X	Protection against objects >50 mm // Bescherming tegen voorwerpen >50 mm // Protection contre les objets >50 mm // Schutz gegen Gegenstände >50 mm
IP 2X	Protection against objects >12.5 mm // Bescherming tegen voorwerpen >12,5 mm // Protection contre les objets >12,5 mm // Schutz gegen Gegenstände >12,5 mm
IP 3X	Protection against objects >2.5 mm. Tools, thick wires, etc. // Bescherming tegen voorwerpen >2,5 mm. Gereedschap, dikke draden, enz. // Protection contre les objets >2,5 mm. Outils, fils épais, etc. // Schutz gegen Gegenstände >2,5 mm. Werkzeuge, dicke Drähte usw.
IP 4X	Protection against objects >1 mm. Most wires, screws, etc. // Bescherming tegen voorwerpen >1 mm. De meeste draden, schroeven, enz. // Protection contre les objets >1 mm. La plupart des fils, vis, etc. // Schutz gegen Gegenstände >1 mm. Die meisten Drähte, Schrauben usw.
IP 5X	Dust proof // Stofbestendig // Étanche à la poussière // Staubgeschützt
IP 6X	Dust tight // Stofdicht // Complètement étanche à la poussière // Staubdicht
IP X0	No protection against water // Geen bescherming tegen water // Aucune protection contre l'eau // Kein Schutz gegen Wasser.
IP X1	Protection against dripping water // Bescherming tegen druppelend water // Protection contre les gouttes d'eau // Schutz gegen tropfendes Wasser.
IP X2	Protection against dripping water, up to an angle of 15° // Bescherming tegen druppelend water, tot een hoek van 15° // Protection contre les gouttes d'eau, jusqu'à un angle de 15° // Schutz gegen tropfendes Wasser bis zu einem Winkel von 15°.
IP X3	Protection against spraying water, up to an angle of 60° // Bescherming tegen spattend water, tot een hoek van 60° // Protection contre les projections d'eau, jusqu'à un angle de 60° // Schutz gegen Spritzwasser bis zu einem Winkel von 60°.
IP X4	Protection against splashing water // Bescherming tegen spatwater // Protection contre les projections d'eau // Schutz gegen Spritzwasser.
IP X5	Protection against water jets from a nozzle (6.3mm) from any angle // Bescherming tegen waterstralen uit een spuitmond (6,3 mm) vanuit elke hoek // Protection contre les jets d'eau provenant d'une buse (6,3 mm) sous tous les angles // Schutz gegen Strahlwasser aus einer Düse (6,3 mm) aus jedem Winkel
IP X6	Protection against powerful water jets from a nozzle (12.5mm) from any angle // Bescherming tegen krachtige waterstralen uit een spuitmond (12,5 mm) vanuit elke hoek // Protection contre les jets d'eau puissants provenant d'une buse (12,5 mm) sous tous les angles // Schutz gegen starkes Strahlwasser aus einer Düse (12,5 mm) aus jedem Winkel.
IP X7	Protection against submersion in water, of up to 1 meter, for 30 minutes // Bescherming tegen onderdompeling in water, tot 1 meter, gedurende 30 minuten // Protection contre l'immersion dans l'eau, jusqu'à 1 mètre, pendant 30 minutes // Schutz gegen Untertauchen in Wasser bis zu einer Tiefe von 1 Meter für 30 Minuten.
IP X8	Can be used under water // Kan onder water worden gebruikt // Peut être utilisé sous l'eau // Kann unter Wasser verwendet werden.

INDEX

ALYN	11	TOSH	247	BOLETO	314
ANNU	14	XIMON	250	CYRUS	315
BOA	21	ZONIC	251	FAR	316
GURI	26	IMBER	256	INA	317
ISE	42	AMUR	257	POPPY	319
KOTO	52	EVIA	258	QUTE	320
LINO	54	INAKI	259	NORD	322
OKIRU	57	OMY	260	CASAR	322
ONDA	62	BANY	260	RAGNAR	323
OONAH	67	BALNEO	260	JARDIN	323
ORYX	72	BATU	261	IF TRACK	327
OSIRA	83	GOA	263	LITHIUM	337
REMY	98	QIJO v2.0 CCT	264	LEDSTRIPS	345
RAGA	100	XEON	265	LEDSTRIP PROFILES	351
ROGODO	107	ZAZOU	266	XINIX	351
RONIN	108	ASLAN	267	NOTTE	351
SHURU	112	BAKU	268	CRONE	351
TABOO	117	DAMIR	269	SKIRRU	351
TRITON	130	FLUX	270	INVISI	351
OYO	134	IPSO	271	FENNA	351
PULSE	138	ISIK	272	STYXX	351
ROBUS	142	KELSO	273	LEDSTRIP DRIVERS	352
RUNE	146	KITO	274	LEDSTRIP CONTROLLER	353
RUNE flex	148	LIBRA	275	LEDSTRIP CONNECTORS	354
XZIBIT	150	MILO	276	SKYLINE	356
BABAR	154	MILOS	277	CANOPIES	359
BABU	164	NEVE	278	EMPTY BASE	361
OLALA	170	NOKI	279	PENDANTS	362
NORI	172	NUALA	280	DIMMERS	364
ORSO	176	ORION	281	CONNECTORS OUTDOOR	365
OXUS	178	SIBO	283	DEEP DECO BULBS	367
RAKU	180	SPECTRA	285	LIGHT SOURCES	369
BIJOU	184	TENGU	287		
DUSK	186	CONTOUR	288		
HELIX	188	MILOU	289		
KUMIS	189	TARA	290		
NIDUM	190	TATTI	291		
RADU	192	TOWER	292		
SKEELER	194	TULGA	293		
TOKO	196	TUVA	294		
SHIWA	198	WAYRA	296		
DEEP DECO	201	ECLIPSE	297		
SATURN	206	KOBI	298		
SATURN MINI	208	PIKI	299		
TETIZ	210	SPIKA	300		
ZOOM	211	TORUN	301		
CALES	224	URI	302		
DARLING	225	YAKU	303		
INDEX	230	SUMMIT	304		
MISO	231	ATLANTIS II	305		
MONIX	232	BEACON	306		
NONI	233	FURI	307		
QUONOS	242	NELIO	308		
SAFRANE	244	ARGIA	311		
SIRANNA	246	BARBARA	313		

INDEX

3350005	231	3390087	281	3403613	84	3418120	54	3428109	351	3429100	293	3433026	133
3350006	231	3390088	282	3403614	84	3418121	55	3428110	351	3429101	293	3433031	130
3350008	225	3390089	282	3403615	85	3418122	56	3428111	351	3429102	309	3433032	130
3350009	225	3390090	286	3403616	85	3418125	54	3428112	351	3430040	320	3433033	130
3350022	233	3390091	286	3403617	88	3418126	55	3428113	351	3430041	320	3433034	131
3350023	233	3390092	285	3403618	88	3418127	56	3428114	351	3430042	320	3433035	131
3350025	234	3390093	285	3403619	88	3419016	352	3428115	351	3430050	321	3433036	133
3350026	234	3390095	278	3403620	89	3419017	352	3428116	351	3430051	321	3433041	130
3350027	235	3390096	297	3403621	89	3419018	352	3428117	351	3430052	321	3433042	130
3350028	235	3390097	297	3403622	89	3419019	350	3428118	351	3430060	313	3433043	130
3350070	251	3390098	297	3403623	90	3419020	352	3428210	347	3430070	319	3433044	131
3350071	251	3390099	325	3403624	90	3419022	352	3428211	347	3430071	319	3433045	131
3350072	251	3390100	291	3403625	91	3419023	352	3428212	345	3430072	319	3433046	133
3350075	252	3390101	291	3403626	91	3419024	352	3428213	345	3430073	319	3434000	269
3350076	252	3390102	291	3403627	94	3419060	364	3428220	354	3432001	108	3434005	280
3350082	230	3390105	303	3403628	94	3419061	364	3428221	354	3432002	109	3434010	268
3350083	316	3390106	302	3403629	94	3422123	179	3428222	354	3432003	110	3434020	270
3350084	316	3390107	265	3403631	92	3422124	179	3428223	354	3432011	108	3434025	270
3350085	311	3390108	265	3403632	92	3422125	178	3428224	354	3432012	109	3434030	270
3350086	311	3402231	146	3403633	93	3422126	178	3428225	354	3432013	110	3434035	270
3350087	315	3402232	146	3403634	93	3422127	179	3428226	354	3432015	111	3434040	298
3350091	314	3402233	146	3403641	86	3422128	178	3428227	354	3432021	108	3434050	287
3350092	314	3402234	147	3403642	86	3424995	365	3428228	354	3432022	109	3434055	287
3350093	242	3402235	147	3403643	87	3424996	365	3428229	355	3432023	110	3434060	275
3350094	247	3402236	148	3403644	87	3427001	142	3428230	353	3432102	52	3434061	275
3350095	247	3402241	146	3403648	95	3427002	142	3428231	353	3432103	52	3434065	272
3375012	246	3402242	146	3403649	98	3427003	142	3428232	353	3432104	52	3434070	266
3375017	232	3402243	146	3403651	105	3427004	143	3428240	356	3432105	53	3434071	266
3375020	224	3402244	147	3403652	105	3427005	143	3428241	356	3432106	53	3435001	18
3375022	224	3402245	147	3403653	106	3427006	142	3428242	356	3432107	53	3435002	18
3376020	307	3402246	148	3403654	106	3427007	142	3428250	355	3432120	359	3435003	14
3376025	307	3403177	62	3403658	61	3427008	142	3428251	355	3432121	359	3435004	15
3376027	307	3403178	62	3403659	60	3427009	143	342850030	348	3432122	360	3435005	16
3376030	308	3403179	62	3403660	57	3427010	143	342850040	348	3432123	360	3435006	17
3376040	306	3403180	64	3403661	57	3427011	144	342850130	348	3432124	360	3435011	19
3376041	306	3403181	64	3403662	57	3427012	144	342850140	348	3432125	360	3435012	19
3376050	305	3403187	63	3403663	58	3427013	144	342850327	350	3432130	67	3435013	14
3376051	305	3403188	63	3403664	58	3427014	145	342850330	350	3432131	69	3435014	15
3376055	304	3403189	63	3403665	61	3427015	145	342850340	350	3432132	67	3435015	16
3376060	300	3403190	65	3403666	59	3427031	150	3428502TW	349	3432133	69	3435016	17
3376061	299	3403191	65	3403667	60	3427032	150	3429025	267	3432134	67	3435021	25
3377001	244	3403547	102	3403668	59	3427033	150	3429026	301	3432135	69	3435022	21
3377002	244	3403548	103	3406060	260	3427035	150	3429027	301	3432136	68	3435023	22
3377003	244	3403549	101	3406070	260	3427036	152	3429030	277	3432137	68	3435031	25
3377004	244	3403550	100	3406080	260	3427041	151	3429031	296	3432138	68	3435032	21
3390001	279	3403551	101	3407090	170	3427042	151	3429032	296	3432139	68	3435033	22
3390005	279	3403552	104	3407091	170	3427043	151	3429033	296	3432141	70	3435040	33
3390010	274	3403553	103	3407092	170	3427045	151	3429034	296	3432142	70	3435041	34
3390012	274	3403554	102	3407093	171	3427046	153	3429040	271	3432143	71	3435042	35
3390013	274	3403555	104	3407094	171	3427065	150	3429045	271	3432144	71	3435043	36
3390015	274	3403556	100	3407095	171	3427066	150	3429050	294	3432145	71	3435044	37
3390016	274	3403557	100	3416195	107	3427067	150	3429055	294	3432146	71	3435045	38
3390018	274	3403567	114	3416196	107	3427068	150	3429060	295	3432147	71	3435046	39
3390020	276	3403568	115	3416197	107	3427069	152	3429065	295	3432148	71	3435047	40
3390025	276	3403569	113	3416251	363	3428090	351	3429070	273	3432149	71	3435048	32
3390031	263	3403570	112	3416252	363	3428094	351	3429071	273	3432150	71	3435049	31
3390032	263	3403571	113	3416253	363	3428095	351	3429072	273	3432151	71	3435050	33
3390036	263	3403572	116	3418090	194	3428096	351	3429073	317	3432152	71	3435051	34
3390037	263	3403573	115	3418091	194	3428097	351	3429074	317	3432153	71	3435052	35
3390041	264	3403574	114	3418092	194	3428098	351	3429075	322	3432154	71	3435053	36
3390042	264	3403575	116	3418095	195	3428099	351	3429076	323	3432155	71	3435054	37
3390046	264	3403576	112	3418096	195	3428101	351	3429077	322	3432156	71	3435055	38
3390047	264	3403577	112	3418097	195	3428102	351	3429078	323	3432157	71	3435056	39
3390051	264	3403585	359	3418100	257	3428103	351	3429080	292	3432210	198	3435057	40
3390052	264	3403586	359	3418101	257	3428104	351	3429085	289	3433021	130	3435058	32
3390060	283	3403587	359	3418102	257	3428105	351	3429090	290	3433022	130	3435059	31
3390061	283	3403610	83	3418105	257	3428106	351	3429091	290	3433023	130	3435060	250
3390062	283	3403611	83	3418106	257	3428107	351	3429095	288	3433024	131	3435061	250
3390086	281	3403612	83	3418107	257	3428108	351	3429096	288	3433025	131	3435065	176

INDEX

3435066	177	4014346	139	4014489	168	4014634	119	4016122	182	8202659	369	TR0112B	327
3435067	176	4014347	139	4014520	123	4014640	118	4016123	183	8202704	369	TR0112W	327
3435068	177	4014349	138	4014521	124	4014641	118	4016130	184	8202705	369	TR0113B	327
3435070	26	4014370	361	4014522	125	4014642	118	4016131	184	8202706	369	TR0113W	327
3435071	26	4014371	361	4014523	125	4014643	118	4016132	184	8202707	369	TR0114B	327
3435072	27	4014380	361	4014524	125	4014645	117	4016140	44	8202708	369	TR0114W	327
3435080	29	4014381	361	4014525	125	4014646	117	4016141	43	8202709	369	TR0115B	328
3435081	29	4014390	361	4014526	124	4014647	117	4016142	46	8202820	372	TR0115W	328
3435082	30	4014391	361	4014527	128	4014648	117	4016143	48	8202821	372	TR0116B	328
3435083	41	4014400	197	4014528	129	4014650	121	4016144	50	8204201	370	TR0116W	328
3435090	172	4014401	197	4014530	123	4014651	120	4016150	45	8204202	370	TR0117B	328
3435091	173	4014402	197	4014531	124	4014652	121	4016151	42	8204203	370	TR0117W	328
3435092	174	4014403	196	4014532	125	4014653	121	4016152	47	8204204	370	TR0118B	327
3435093	175	4014404	196	4014533	125	4014655	122	4016153	49	8204205	370	TR0118W	327
3435100	172	4014405	196	4014534	125	4014656	122	4016154	51	8204206	370	TR0119B	327
3435101	173	4014409	192	4014535	125	4014657	122	4016160	45	8204210	371	TR0119W	327
3435102	174	4014410	193	4014536	124	4014658	122	4016161	43	8204211	371	TR0120B	328
3435103	175	4014412	193	4014537	128	4014710B	74	4016162	47	8204220	370	TR0120W	328
3435130	11	4014413	192	4014538	129	4014710G	74	4016163	49	8204221	370	TR0123B	328
3435131	11	4014414	192	4014540	123	4014710W	74	4016164	51	8204230	370	TR0123W	328
3435132	13	4014415	191	4014541	124	4014711B	74	4016170	44	8204231	370	TR0125B	328
3435133	13	4014416	191	4014542	125	4014711G	74	4016171	43	8204232	370	TR0125W	328
4014010	211	4014417	191	4014543	125	4014711W	74	4016172	46	8204238	372	TR0126B	328
4014011	211	4014418	191	4014544	125	4014712B	74	4016173	48	8204239	372	TR0126W	328
4014015	211	4014420	188	4014545	125	4014712G	74	4016174	50	8204240	370	TR0132B	132
4014016	211	4014422	188	4014546	124	4014712W	74	4016200B	134	8204241	371	TR0132BR	132
4014020	211	4014425	190	4014547	128	4014713B	74	4016200BR	134	8204242	371	TR0132W	132
4014021	211	4014427	190	4014548	129	4014713G	74	4016200W	134	8204244	372	TR0133B	149
4014030	212	4014430	190	4014550	123	4014713W	74	4016201B	134	8204245	371	TR0135B	126
4014031	212	4014432	190	4014551	124	4014714B	82	4016201BR	134	8204246	371	TR0135BR	126
4014035	212	4014437	154	4014552	125	4014714G	82	4016201W	134	8204250	371	TR0135DG	126
4014036	212	4014438	154	4014553	125	4014714W	82	4016202B	134	8204251	371	TR0135G	126
4014040	212	4014439	154	4014554	125	4014715B	75	4016202BR	134	8204252	371	TR0135W	126
4014041	212	4014440	155	4014555	125	4014715G	75	4016202W	134	8204253	371	TR01360B	78
4014050	213	4014441	155	4014556	124	4014715W	75	4016203B	135	8204254	371	TR01360G	78
4014051	213	4014442	155	4014557	128	4014716B	72	4016203BR	135	8204255	371	TR01360W	78
4014055	213	4014443	156	4014558	129	4014716G	72	4016203W	135	8204256	372	TR01362B	79
4014056	213	4014444	156	4014560	123	4014716W	72	4016204B	136	8204257	372	TR01362G	79
4014060	213	4014445	157	4014561	124	4014717B	73	4016204BR	136	8204258	372	TR01362W	79
4014061	213	4014446	157	4014562	125	4014717G	73	4016204W	136	8205000	367	TR0140B	337
4014270	206	4014447	157	4014563	125	4014717W	73	4016210B	259	8205001	367	TR0140W	337
4014271	206	4014448	156	4014564	125	4014718B	77	4016210W	259	8205002	368	TR0151B	161
4014272	206	4014450	159	4014565	125	4014718G	77	4016211B	259	8205003	368	TR0151BR	160
4014273	206	4014451	159	4014566	124	4014718W	77	4016211W	259	8205010	367	TR0151DG	160
4014274	206	4014452	159	4014567	128	4014719B	76	4016212B	259	8205011	368	TR0151G	160
4014275	206	4014453	158	4014568	129	4014719G	76	4016212W	259	8205012	368	TR0151W	161
4014279AL	208	4014454	158	4014570	185	4014719W	76	4016213B	259	8205020	201	TR0152B	163
4014279B	208	4014455	158	4014571	185	4014720B	81	4016213W	259	8205021	201	TR0152BR	162
4014279BR	208	4014460	189	4014572	185	4014720G	81	4016300B	255	8205030	202	TR0152DG	162
4014279DC	208	4014463	189	4014580	186	4014720W	81	4016300W	255	8205031	202	TR0152G	162
4014279G	208	4014470	165	4014581	186	4014721B	80	4016301B	261	8205040	367	TR0152W	163
4014279W	208	4014471	165	4014582	186	4014721G	80	4016301W	261	8205041	367	TR0153B	167
4014280	207	4014472	164	4014590	187	4014721W	80	8202560	210	8205042	367	TR0153BR	166
4014281	207	4014473	164	4014591	187	4016001	258	8202561	210	8205043	367	TR0153DG	166
4014282	207	4014474	164	4014592	187	4016002	258	8202562	210	8205050	203	TR0153G	166
4014283	207	4014475	169	4014610	127	4016003	258	8202563	210	8205051	203	TR0153W	167
4014284	207	4014476	169	4014611	127	4016010	258	8202570	210	8205060	204	TR0160B	141
4014285	207	4014477	168	4014612	127	4016011	258	8202571	210	8205061	204	TR0160W	141
4014289AL	209	4014478	168	4014613	127	4016012	258	8202572	210	8205070	368	TR0170B	137
4014289B	209	4014479	168	4014614	127	4016100	180	8202573	210	8205071	368	TR0170BR	137
4014289BR	209	4014480	165	4014620	119	4016101	181	8202580	256	8205072	368	TR0170W	137
4014289DC	209	4014481	165	4014621	119	4016102	182	8202581	256	8205080	205	XL3435023	23
4014289G	209	4014482	164	4014622	119	4016103	183	8202582	256	8205081	205	XL3435024	24
4014289W	209	4014483	164	4014623	119	4016110	180	8202618	372	TR0101B	327	XL3435033	23
4014340	139	4014484	164	4014624	119	4016111	181	8202619	372	TR0101W	327	XL3435034	24
4014341	139	4014485	169	4014630	119	4016112	182	8202650	369	TR0102B	327		
4014342	139	4014486	169	4014631	119	4016113	183	8202652	369	TR0102W	327		
4014344	138	4014487	168	4014632	119	4016120	180	8202653	369	TR0111B	327		
4014345	139	4014488	168	4014633	119	4016121	181	8202654	369	TR0111W	327		

DISCLAIMER

Fantasia Verlichting® n.v. and STUDIO FF® light designers have realized this catalogue for any person involved in the lighting business. Our hope is that it will be an efficient tool that can contribute to the creativity of the lighting designers.

All designs are protected by deposit of the models and © COPYRIGHT.

All products in this catalogue are made according to CE regulations.

© COPYRIGHT Fantasia Verlichting® n.v.

No part of this catalogue may be copied or reproduced without written approval of Fantasia Verlichting® n.v. Information in this catalogue is without engagement and may be subject to changes without notice.

Edition 2025 - 2026

Fantasia Verlichting® n.v. en STUDIO FF® light designers stelden deze catalogus samen voor iedereen die in contact komt met de verlichtingswereld. Het is onze hoop dat dit een efficiënte “tool” en inspiratiebron wordt.

Alle designs zijn beschermd door het © COPYRIGHT en deposito bij een merkenburo.

Alle producten in deze catalogus zijn vervaardigd volgens de algemeen geldende Europese normen.

© COPYRIGHT Fantasia Verlichting® n.v.

Niets uit deze catalogus mag gekopieerd of verveelvoudigd worden zonder de uitdrukkelijke schriftelijke toestemming van Fantasia Verlichting® n.v. Informatie in deze catalogus is op geen enkele manier bindend en kan gewijzigd worden zonder voorafgaande kennisgeving.

Editie 2025 - 2026

Fantasia Verlichting® n.v. et STUDIO FF® light designers ont édité ce catalogue pour toutes les personnes qui s'intéressent à l'éclairage. Nous espérons que cet outil contribuera à créer un atmosphère plus efficace et plus créatif.


Tous les modèles de sont protégés par un © COPYRIGHT et ont été déposés auprès d'un bureau de marques.


Tous les produits repris dans ce catalogue ont été fabriqués conformément aux normes CE.

© COPYRIGHT Fantasia Verlichting® n.v.

Le contenu de ce catalogue ne peut être copié et/ou multiplié et/ou publié sous aucune forme et sur aucun support, sans l'autorisation spécifique écrite de Fantasia Verlichting® n.v. Les renseignements repris dans ce catalogue sont données à titre informatif et peuvent être modifiés sans avertissement préalable.

Édition 2025 - 2026





Registered office - Fantasia Verlichting® n.v.
Torhoutsesteenweg 437, BE-8400

Warehouse & offices - Fantasia Verlichting® n.v.
Archimedesstraat 58, BE-8400

Showroom - Fantasia Verlichting® n.v.
Torhoutsesteenweg 437, BE-8400

 FANTASIA VERLICHTING NV
Torhoutsesteenweg 437
BE-8400 Belgium


 +32 59 704070

 www.fantasia.be

 info@fantasia.be

 BE 0407 820 266

fantasia.be
light designers



 FANTASIA VERLICHTING NV
Torhoutsesteenweg 437
BE-8400 Belgium

 +32 59 704070

 www.fantasia.be

 info@fantasia.be

 BE 0407 820 266